

**Robson groups, British Columbia**  
April 1, 2009 to March 31, 2010

Robson group	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,436</b>	<b>44,293</b>	<b>100.0%</b>	<b>30.3%</b>	<b>100.0%</b>
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,429	12,245	27.7%	19.8%	18.1%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,151	5,187	11.7%	41.5%	16.0%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	299	11,843	26.7%	2.5%	2.2%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	378	3,128	7.1%	12.1%	2.8%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	3,890	4,892	11.0%	79.5%	29.0%
6 - Nulliparous women with a single breech pregnancy	967	1,020	2.3%	94.8%	7.2%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	629	704	1.6%	89.4%	4.7%
8 - Women with a multifetal pregnancy, including women with a uterine scar	518	742	1.7%	69.8%	3.9%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	199	247	0.6%	80.6%	1.5%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	760	2,910	6.6%	26.1%	5.7%
99 - Unclassifiable†	1,216	1,375	3.1%	88.4%	9.1%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

## Robson groups, British Columbia

April 1, 2010 to March 31, 2011

Robson group	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,375</b>	<b>43,276</b>	<b>100.0%</b>	<b>30.9%</b>	<b>100.0%</b>
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,349	11,940	27.6%	19.7%	17.6%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,356	5,295	12.2%	44.5%	17.6%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	298	11,477	26.5%	2.6%	2.2%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	402	3,073	7.1%	13.1%	3.0%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	3,842	4,877	11.3%	78.8%	28.7%
6 - Nulliparous women with a single breech pregnancy	954	1,003	2.3%	95.1%	7.1%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	573	659	1.5%	87.0%	4.3%
8 - Women with a multifetal pregnancy, including women with a uterine scar	480	682	1.6%	70.4%	3.6%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	209	259	0.6%	80.7%	1.6%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	824	2,848	6.6%	28.9%	6.2%
99 - Unclassifiable†	1,088	1,163	2.7%	93.6%	8.1%

**NOTES:**

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

**Robson groups, British Columbia**  
April 1, 2011 to March 31, 2012

Robson group	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,494</b>	<b>43,535</b>	<b>100.0%</b>	<b>31.0%</b>	<b>100.0%</b>
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,433	11,713	26.9%	20.8%	18.0%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,511	5,387	12.4%	46.6%	18.6%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	276	11,894	27.3%	2.3%	2.1%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	399	3,097	7.1%	12.9%	3.0%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,326	5,362	12.3%	80.7%	32.1%
6 - Nulliparous women with a single breech pregnancy	917	976	2.2%	94.0%	6.8%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	622	708	1.6%	87.9%	4.6%
8 - Women with a multifetal pregnancy, including women with a uterine scar	506	733	1.7%	69.0%	3.8%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	222	274	0.6%	81.0%	1.7%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	888	2,943	6.8%	30.2%	6.6%
99 - Unclassifiable†	394	448	1.0%	88.0%	2.9%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

**Robson groups, British Columbia**  
April 1, 2012 to March 31, 2013

Robson group	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,794</b>	<b>43,860</b>	<b>100.0%</b>	<b>31.5%</b>	<b>100.0%</b>
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,508	12,074	27.5%	20.8%	18.2%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,535	5,233	11.9%	48.4%	18.4%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	259	11,757	26.8%	2.2%	1.9%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	419	3,044	6.9%	13.8%	3.0%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,400	5,561	12.7%	79.1%	31.9%
6 - Nulliparous women with a single breech pregnancy	937	999	2.3%	93.8%	6.8%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	601	675	1.5%	89.0%	4.4%
8 - Women with a multifetal pregnancy, including women with a uterine scar	513	714	1.6%	71.9%	3.7%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	229	265	0.6%	86.4%	1.7%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,040	3,156	7.2%	33.0%	7.5%
99 - Unclassifiable†	353	382	0.9%	92.4%	2.6%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

## Robson groups, British Columbia

April 1, 2013 to March 31, 2014

Robson group	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,688</b>	<b>43,157</b>	<b>100.0%</b>	<b>31.7%</b>	<b>100.0%</b>
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,427	11,563	26.8%	21.0%	17.7%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,523	5,287	12.3%	47.7%	18.4%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	330	11,545	26.8%	2.9%	2.4%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	428	3,152	7.3%	13.6%	3.1%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,301	5,397	12.5%	79.7%	31.4%
6 - Nulliparous women with a single breech pregnancy	964	1,021	2.4%	94.4%	7.0%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	583	658	1.5%	88.6%	4.3%
8 - Women with a multifetal pregnancy, including women with a uterine scar	525	735	1.7%	71.4%	3.8%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	229	261	0.6%	87.7%	1.7%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,006	3,123	7.2%	32.2%	7.4%
99 - Unclassifiable†	372	415	1.0%	89.6%	2.7%

**NOTES:**

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.