

Robson subgroups, British Columbia

April 1, 2009 to March 31, 2010

Robson subgroup	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,436	44,293	100.0%	30.3%	100.0%
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,429	12,245	27.7%	19.8%	18.1%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,713	4,749	10.7%	36.1%	12.8%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	438	438	1.0%	100.0%	3.3%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	299	11,843	26.7%	2.5%	2.2%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	191	2,941	6.6%	6.5%	1.4%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	187	187	0.4%	100.0%	1.4%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	71	185	0.4%	38.4%	0.5%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	2,985	2,985	6.7%	100.0%	22.2%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	834	1,722	3.9%	48.4%	6.2%
6 - Nulliparous women, single breech pregnancy	967	1,020	2.3%	94.8%	7.2%
7 - Parous women, single breech pregnancy, including women with a uterine scar	629	704	1.6%	89.4%	4.7%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	65	153	0.4%	42.5%	0.5%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	305	305	0.7%	100.0%	2.3%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	148	284	0.6%	52.1%	1.1%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	199	247	0.6%	80.6%	1.5%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	137	788	1.8%	17.4%	1.0%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	361	361	0.8%	100.0%	2.7%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	262	1,760	4.0%	14.9%	2.0%
99 - Unclassifiable†	1,216	1,376	3.1%	88.4%	9.1%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson subgroups, British Columbia

April 1, 2010 to March 31, 2011

Robson subgroup	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,375	43,276	100.0%	30.9%	100.0%
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,349	11,940	27.6%	19.7%	17.6%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,903	4,842	11.2%	39.3%	14.2%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	453	453	1.1%	100.0%	3.4%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	298	11,477	26.5%	2.6%	2.2%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	181	2,852	6.6%	6.4%	1.4%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	221	221	0.5%	100.0%	1.7%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	76	195	0.5%	39.0%	0.6%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	2,951	2,951	6.8%	100.0%	22.1%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	815	1,731	4.0%	47.1%	6.1%
6 - Nulliparous women, single breech pregnancy	954	1,003	2.3%	95.1%	7.1%
7 - Parous women, single breech pregnancy, including women with a uterine scar	573	659	1.5%	87.0%	4.3%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	61	164	0.4%	37.2%	0.5%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	275	275	0.6%	100.0%	2.1%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	144	243	0.6%	59.3%	1.1%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	209	259	0.6%	80.7%	1.6%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	173	810	1.9%	21.4%	1.3%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	368	368	0.9%	100.0%	2.8%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	283	1,670	3.9%	17.0%	2.1%
99 - Unclassifiable†	1,088	1,163	2.7%	93.6%	8.1%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson subgroups, British Columbia

April 1, 2011 to March 31, 2012

Robson subgroup	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,494	43,535	100.0%	31.0%	100.0%
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,433	11,713	26.9%	20.8%	18.0%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,995	4,871	11.2%	41.0%	14.8%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	516	516	1.2%	100.0%	3.8%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	276	11,894	27.3%	2.3%	2.1%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	206	2,904	6.7%	7.1%	1.5%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	193	193	0.4%	100.0%	1.4%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	86	201	0.5%	42.8%	0.6%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	3,407	3,407	7.8%	100.0%	25.3%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	833	1,754	4.0%	47.5%	6.2%
6 - Nulliparous women, single breech pregnancy	917	976	2.2%	94.0%	6.8%
7 - Parous women, single breech pregnancy, including women with a uterine scar	622	708	1.6%	87.9%	4.6%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	53	167	0.4%	31.7%	0.4%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	303	303	0.7%	100.0%	2.3%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	150	263	0.6%	57.0%	1.1%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	222	274	0.6%	81.0%	1.7%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	156	805	1.9%	19.4%	1.2%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	422	422	1.0%	100.0%	3.1%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	310	1,716	3.9%	18.1%	2.3%
99 - Unclassifiable†	394	448	1.0%	88.0%	2.9%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson subgroups, British Columbia

April 1, 2012 to March 31, 2013

Robson subgroup	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,794	43,860	100.0%	31.5%	100.0%
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,508	12,074	27.5%	20.8%	18.2%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,931	4,629	10.6%	41.7%	14.0%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	604	604	1.4%	100.0%	4.4%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	259	11,757	26.8%	2.2%	1.9%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	192	2,817	6.4%	6.8%	1.4%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	227	227	0.5%	100.0%	1.7%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	94	217	0.5%	43.3%	0.7%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	3,453	3,453	7.9%	100.0%	25.0%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	853	1,891	4.3%	45.1%	6.2%
6 - Nulliparous women, single breech pregnancy	937	999	2.3%	93.8%	6.8%
7 - Parous women, single breech pregnancy, including women with a uterine scar	601	675	1.5%	89.0%	4.4%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	60	151	0.3%	39.7%	0.4%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	315	315	0.7%	100.0%	2.3%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	138	247	0.6%	55.9%	1.0%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	229	265	0.6%	86.4%	1.7%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	182	840	1.9%	21.7%	1.3%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	500	500	1.1%	100.0%	3.6%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	358	1,816	4.1%	19.7%	2.6%
99 - Unclassifiable†	353	383	0.9%	92.2%	2.6%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson subgroups, British Columbia

April 1, 2013 to March 31, 2014

Robson subgroup	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,688	43,157	100.0%	31.7%	100.0%
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,427	11,563	26.8%	21.0%	17.7%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,954	4,718	10.9%	41.4%	14.3%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	569	569	1.3%	100.0%	4.2%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	330	11,545	26.8%	2.9%	2.4%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	198	2,922	6.8%	6.8%	1.5%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	230	230	0.5%	100.0%	1.7%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	84	198	0.5%	42.4%	0.6%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	3,311	3,311	7.7%	100.0%	24.2%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	906	1,888	4.4%	48.0%	6.6%
6 - Nulliparous women, single breech pregnancy	964	1,021	2.4%	94.4%	7.0%
7 - Parous women, single breech pregnancy, including women with a uterine scar	583	658	1.5%	88.6%	4.3%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	58	165	0.4%	35.2%	0.4%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	313	313	0.7%	100.0%	2.3%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	154	257	0.6%	59.9%	1.1%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	229	261	0.6%	87.7%	1.7%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	192	876	2.0%	21.9%	1.4%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	500	501	1.2%	99.8%	3.7%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	314	1,746	4.1%	18.0%	2.3%
99 - Unclassifiable†	372	415	1.0%	89.6%	2.7%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 16JAN2015 from data as of 12JAN2015.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.