

Robson groups, British Columbia

Fiscal year 2009 / 2010

Robson group	Number of cesareans	Number of deliveries	Relative group size	CD rate #	Contribution to CD rate #
TOTAL	13,436	43,367	100.0%	31.0%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,429	11,909	27.5%	20.4%	18.1%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,150	5,183	12.0%	41.5%	16.0%
3 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	299	11,299	26.1%	2.7%	2.2%
4 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	378	3,123	7.2%	12.1%	2.8%
5 - Multiparous women with a uterine scar with a single vertex pregnancy at 37+ weeks	3,887	4,858	11.2%	80.0%	28.9%
6 - Nulliparous women with a single breech pregnancy	967	1,019	2.4%	94.9%	7.2%
7 - Multiparous women with a single breech pregnancy, including women with a uterine scar	627	699	1.6%	89.7%	4.7%
8 - Women with a multifetal pregnancy, including women with a uterine scar	517	741	1.7%	69.8%	3.9%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	198	245	0.6%	80.8%	1.5%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	757	2,886	6.7%	26.2%	5.6%
99 - Unclassifiable*	1,227	1,405	3.2%	87.3%	9.1%

NOTES:

Data source: BC Perinatal Database Registry. Report prepared 11DEC2012 from data as of 11DEC2012.

Deliveries at home attended by Registered Midwives are not included in this report.

Cesarean delivery rate

* Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson groups, British Columbia

Fiscal year 2010 / 2011

Robson group	Number of cesareans	Number of deliveries	Relative group size	CD rate #	Contribution to CD rate #
TOTAL	13,376	42,279	100.0%	31.6%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,349	11,589	27.4%	20.3%	17.6%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,356	5,292	12.5%	44.5%	17.6%
3 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	298	10,885	25.8%	2.7%	2.2%
4 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	402	3,069	7.3%	13.1%	3.0%
5 - Multiparous women with a uterine scar with a single vertex pregnancy at 37+ weeks	3,842	4,847	11.5%	79.3%	28.7%
6 - Nulliparous women with a single breech pregnancy	954	1,003	2.4%	95.1%	7.1%
7 - Multiparous women with a single breech pregnancy, including women with a uterine scar	573	657	1.6%	87.2%	4.3%
8 - Women with a multifetal pregnancy, including women with a uterine scar	481	683	1.6%	70.4%	3.6%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	209	259	0.6%	80.7%	1.6%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	824	2,833	6.7%	29.1%	6.2%
99 - Unclassifiable*	1,088	1,162	2.8%	93.6%	8.1%

NOTES:

Data source: BC Perinatal Database Registry. Report prepared 11DEC2012 from data as of 11DEC2012.

Deliveries at home attended by Registered Midwives are not included in this report.

Cesarean delivery rate

* Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson groups, British Columbia

Fiscal year 2011 / 2012[^]

Robson group	Number of cesareans	Number of deliveries	Relative group size	CD rate #	Contribution to CD rate #
TOTAL	13,494	42,467	100.0%	31.8%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,432	11,386	26.8%	21.4%	18.0%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,511	5,384	12.7%	46.6%	18.6%
3 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	276	11,194	26.4%	2.5%	2.1%
4 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	399	3,089	7.3%	12.9%	3.0%
5 - Multiparous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,326	5,327	12.5%	81.2%	32.1%
6 - Nulliparous women with a single breech pregnancy	916	976	2.3%	93.9%	6.8%
7 - Multiparous women with a single breech pregnancy, including women with a uterine scar	622	708	1.7%	87.9%	4.6%
8 - Women with a multifetal pregnancy, including women with a uterine scar	506	733	1.7%	69.0%	3.8%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	222	274	0.7%	81.0%	1.7%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	888	2,931	6.9%	30.3%	6.6%
99 - Unclassifiable*	396	465	1.1%	85.2%	2.9%

NOTES:

Data source: BC Perinatal Database Registry. Report prepared 11DEC2012 from data as of 11DEC2012.

Deliveries at home attended by Registered Midwives are not included in this report.

[^] Data for 2011 / 2012 are preliminary and subject to revision.

Cesarean delivery rate

* Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.