

Robson Groups, British Columbia
April 1, 2016 to March 31, 2017

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	15,183	44,740	100.0%	33.9%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,570	11,349	25.4%	22.7%	16.9%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	3,155	6,062	13.6%	52.1%	20.8%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	339	11,640	26.0%	2.9%	2.2%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	511	3,383	7.6%	15.1%	3.4%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,823	5,948	13.3%	81.1%	31.8%
6 - Nulliparous women with a single breech pregnancy	1,047	1,096	2.5%	95.5%	6.9%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	625	696	1.6%	89.8%	4.1%
8 - Women with a multifetal pregnancy, including women with a uterine scar	508	726	1.6%	70.0%	3.4%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	148	155	0.4%	95.5%	1.0%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,288	3,458	7.7%	37.3%	8.5%
99 - Unclassifiable†	169	227	0.5%	74.5%	1.1%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 09FEB2022 from data as of 09FEB2022.

Deliveries in hospitals with planned obstetric services, non-obstetric hospitals, and home births are included.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, or type of labour.

Robson Groups, British Columbia
April 1, 2017 to March 31, 2018

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	15,188	44,141	100.0%	34.4%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,477	10,686	24.2%	23.2%	16.3%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	3,192	6,384	14.5%	50.0%	21.0%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	263	10,992	24.9%	2.4%	1.7%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	547	3,687	8.4%	14.8%	3.6%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,943	6,128	13.9%	80.7%	32.6%
6 - Nulliparous women with a single breech pregnancy	993	1,049	2.4%	94.7%	6.5%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	684	755	1.7%	90.6%	4.5%
8 - Women with a multifetal pregnancy, including women with a uterine scar	510	692	1.6%	73.7%	3.4%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	156	166	0.4%	94.0%	1.0%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,287	3,407	7.7%	37.8%	8.5%
99 - Unclassifiable†	136	195	0.4%	69.7%	0.9%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 09FEB2022 from data as of 09FEB2022.

Deliveries in hospitals with planned obstetric services, non-obstetric hospitals, and home births are included.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, or type of labour.

Robson Groups, British Columbia
April 1, 2018 to March 31, 2019

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	15,259	43,166	100.0%	35.4%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,332	9,968	23.1%	23.4%	15.3%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	3,441	6,750	15.6%	51.0%	22.6%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	260	10,421	24.1%	2.5%	1.7%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	522	3,739	8.7%	14.0%	3.4%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,902	6,029	14.0%	81.3%	32.1%
6 - Nulliparous women with a single breech pregnancy	1,025	1,075	2.5%	95.4%	6.7%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	661	729	1.7%	90.7%	4.3%
8 - Women with a multifetal pregnancy, including women with a uterine scar	503	684	1.6%	73.5%	3.3%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	129	142	0.3%	90.9%	0.9%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,362	3,468	8.0%	39.3%	8.9%
99 - Unclassifiable†	122	161	0.4%	75.8%	0.8%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 09FEB2022 from data as of 09FEB2022.

Deliveries in hospitals with planned obstetric services, non-obstetric hospitals, and home births are included.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, or type of labour.

Robson Groups, British Columbia
April 1, 2019 to March 31, 2020

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	15,740	43,057	100.0%	36.6%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,262	9,761	22.7%	23.2%	14.4%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	3,805	7,325	17.0%	52.0%	24.2%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	236	9,620	22.3%	2.5%	1.5%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	586	3,979	9.2%	14.7%	3.7%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	5,096	6,155	14.3%	82.8%	32.4%
6 - Nulliparous women with a single breech pregnancy	1,071	1,103	2.6%	97.1%	6.8%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	617	708	1.6%	87.2%	3.9%
8 - Women with a multifetal pregnancy, including women with a uterine scar	441	614	1.4%	71.8%	2.8%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	154	166	0.4%	92.8%	1.0%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,372	3,483	8.1%	39.4%	8.7%
99 - Unclassifiable†	100	143	0.3%	69.9%	0.6%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 09FEB2022 from data as of 09FEB2022.

Deliveries in hospitals with planned obstetric services, non-obstetric hospitals, and home births are included.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, or type of labour.

Robson Groups, British Columbia
April 1, 2020 to March 31, 2021

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	15,753	41,641	100.0%	37.8%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,247	9,230	22.2%	24.3%	14.3%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	3,923	7,461	17.9%	52.6%	24.9%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	224	8,885	21.3%	2.5%	1.4%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	580	3,933	9.5%	14.8%	3.7%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,902	5,909	14.2%	83.0%	31.1%
6 - Nulliparous women with a single breech pregnancy	1,015	1,050	2.5%	96.7%	6.4%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	661	728	1.8%	90.8%	4.2%
8 - Women with a multifetal pregnancy, including women with a uterine scar	462	616	1.5%	75.0%	2.9%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	114	131	0.3%	87.0%	0.7%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,515	3,565	8.6%	42.5%	9.6%
99 - Unclassifiable†	110	133	0.3%	82.7%	0.7%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 09FEB2022 from data as of 09FEB2022.

Deliveries in hospitals with planned obstetric services, non-obstetric hospitals, and home births are included.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, or type of labour.