


6. APPENDICES

6.1. Appendix 1 Descriptive Statistics and Charts

6.1.1. Descriptive Statistics for the Full Population

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	117	384.97	423.29	461.61	209.27	3.40	240	250	273	375	590	850	885
21	201	422.04	451.73	481.41	213.45	8.75	300	315	330	420	550	630	728
22	297	498.18	512.67	527.17	126.93	1.95	280	360	400	500	650	700	757
23	381	567.08	578.66	590.25	115.03	1.12	380	415	450	575	705	750	820
24	525	679.22	695.44	711.65	189.13	3.63	420	490	525	670	850	940	1,050
25	518	776.29	792.86	809.43	191.98	2.61	500	540	600	794	940	1,040	1,095
26	723	890.07	908.67	927.28	254.84	3.63	540	610	680	890	1,120	1,224	1,370
27	746	1,015.20	1,031.62	1,048.04	228.50	1.42	620	690	780	1,020	1,280	1,370	1,460
28	1,069	1,188.50	1,210.69	1,232.88	369.71	2.88	690	770	890	1,175	1,495	1,710	1,995
29	1,037	1,330.93	1,353.57	1,376.22	371.59	2.90	785	865	1,000	1,330	1,660	1,800	2,000
30	1,447	1,564.60	1,590.65	1,616.70	505.16	2.09	880	990	1,140	1,510	2,015	2,750	3,147
31	1,645	1,674.55	1,695.49	1,716.43	432.97	1.97	1,020	1,110	1,250	1,670	2,075	2,285	2,637
32	3,037	1,882.39	1,897.42	1,912.45	422.36	0.95	1,160	1,280	1,440	1,871	2,350	2,570	2,820
33	3,778	2,089.94	2,103.23	2,116.52	416.70	0.72	1,380	1,480	1,620	2,090	2,565	2,800	3,005
34	6,764	2,316.81	2,327.18	2,337.55	434.93	0.57	1,560	1,673	1,820	2,302	2,835	3,071	3,255
35	10,066	2,528.72	2,537.40	2,546.09	444.45	0.40	1,730	1,860	2,013	2,520	3,080	3,300	3,459
36	23,286	2,802.65	2,808.71	2,814.77	471.91	0.32	1,960	2,080	2,250	2,785	3,402	3,620	3,770
37	42,641	3,019.57	3,023.95	3,028.33	461.78	0.23	2,181	2,300	2,466	3,005	3,600	3,800	3,940
38	113,292	3,256.76	3,259.39	3,262.02	451.33	0.21	2,445	2,551	2,710	3,240	3,830	4,020	4,155
39	171,849	3,415.42	3,417.50	3,419.59	441.04	0.21	2,625	2,725	2,880	3,400	3,980	4,165	4,285
40	314,183	3,556.83	3,558.40	3,559.97	448.95	0.20	2,750	2,856	3,005	3,542	4,139	4,320	4,440
41	134,078	3,688.69	3,691.14	3,693.59	458.30	0.19	2,866	2,970	3,120	3,680	4,280	4,465	4,593
42	44,306	3,739.47	3,743.90	3,748.33	475.74	0.15	2,880	2,990	3,150	3,735	4,360	4,540	4,678
43	3,889	3,770.45	3,786.03	3,801.62	495.71	0.13	2,862	2,985	3,161	3,794	4,422	4,615	4,730
44	408	3,716.64	3,767.46	3,818.28	522.22	0.13	2,807	2,930	3,130	3,742	4,470	4,706	4,848




6.1.2. Descriptive Statistics for Males

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	68	376.91			412.29	447.68	146.20	1.87	255	265	280
21	98	413.37	469.08	524.79	277.88	7.92	300	320	350	424	550	625	650
22	167	507.68	529.61	551.54	143.51	2.20	332	365	400	520	670	740	790
23	199	578.32	595.88	613.45	125.64	1.35	380	400	450	600	710	790	900
24	283	700.60	722.35	744.09	185.84	2.87	500	520	580	695	860	1,000	1,125
25	297	786.22	804.31	822.40	158.41	1.92	550	588	630	805	936	1,020	1,080
26	374	905.02	926.79	948.55	214.05	1.09	540	615	700	920	1,140	1,280	1,370
27	403	1,027.70	1,050.52	1,073.34	233.01	1.90	630	700	800	1,040	1,295	1,360	1,400
28	581	1,199.78	1,226.55	1,253.31	328.44	2.23	690	800	920	1,200	1,503	1,720	1,910
29	590	1,359.15	1,388.39	1,417.64	361.64	3.33	835	910	1,033	1,370	1,674	1,814	2,030
30	822	1,572.67	1,605.94	1,639.22	486.02	2.14	907	1,000	1,180	1,531	2,000	2,580	3,135
31	914	1,708.31	1,736.23	1,764.15	430.15	1.98	1,050	1,135	1,300	1,710	2,100	2,295	2,637
32	1,658	1,919.13	1,938.79	1,958.46	408.31	0.89	1,220	1,315	1,495	1,920	2,381	2,600	2,790
33	2,042	2,122.47	2,139.92	2,157.36	401.97	0.77	1,440	1,535	1,660	2,126	2,580	2,800	3,020
34	3,779	2,356.12	2,369.84	2,383.56	430.13	0.52	1,595	1,729	1,865	2,347	2,860	3,095	3,250
35	5,494	2,564.08	2,575.73	2,587.39	440.71	0.42	1,770	1,900	2,070	2,558	3,110	3,320	3,465
36	12,671	2,847.04	2,855.22	2,863.41	470.07	0.32	2,020	2,130	2,300	2,835	3,450	3,657	3,810
37	22,783	3,069.61	3,075.64	3,081.67	464.12	0.19	2,230	2,350	2,520	3,060	3,657	3,850	4,000
38	59,679	3,313.36	3,316.99	3,320.62	452.79	0.18	2,500	2,608	2,770	3,300	3,890	4,082	4,220
39	88,143	3,479.96	3,482.89	3,485.83	444.11	0.18	2,680	2,785	2,940	3,470	4,050	4,230	4,360
40	158,067	3,630.14	3,632.36	3,634.59	451.61	0.18	2,820	2,920	3,075	3,620	4,214	4,397	4,520
41	67,749	3,767.96	3,771.42	3,774.87	458.88	0.15	2,944	3,043	3,200	3,760	4,360	4,540	4,670
42	22,959	3,817.70	3,823.89	3,830.07	478.04	0.10	2,948	3,060	3,232	3,813	4,439	4,621	4,750
43	2,032	3,841.95	3,863.08	3,884.21	485.75	0.12	2,977	3,090	3,260	3,856	4,480	4,677	4,800
44	255	3,747.81	3,812.22	3,876.62	522.26	0.11	2,807	2,948	3,175	3,770	4,550	4,734	4,904

Smoothed* Percentiles for Males, 1981-2000

Weight (Grams)




6.1.3. Descriptive Statistics for Females

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	48	355.87	436.44	517.00	277.46	3.20	200	229	260	375	810	851	1,500
21	103	411.01	435.21	459.42	123.84	2.04	280	300	320	420	565	720	750
22	130	473.89	490.91	507.92	98.06	0.09	267	340	380	482	623	670	700
23	182	545.33	559.84	574.34	99.15	0.34	392	430	450	553	675	740	800
24	242	640.11	663.97	687.84	188.46	4.80	410	430	510	650	803	880	964
25	221	747.12	777.48	807.84	228.99	2.88	454	520	580	750	940	1,050	1,160
26	349	858.59	889.26	919.94	291.37	4.68	540	600	660	860	1,090	1,185	1,370
27	343	985.90	1,009.41	1,032.92	221.36	0.78	580	670	750	1,000	1,247	1,370	1,480
28	488	1,155.07	1,191.81	1,228.55	413.06	3.25	700	760	850	1,153	1,425	1,700	2,300
29	447	1,272.30	1,307.61	1,342.92	379.86	2.56	730	800	935	1,280	1,590	1,775	1,990
30	625	1,528.98	1,570.53	1,612.09	529.01	2.06	851	950	1,105	1,485	2,098	2,870	3,150
31	731	1,613.22	1,644.55	1,675.87	431.38	2.02	980	1,080	1,235	1,605	2,000	2,280	2,640
32	1,378	1,824.93	1,847.85	1,870.77	433.72	1.08	1,106	1,220	1,400	1,803	2,314	2,551	2,860
33	1,736	2,039.86	2,060.08	2,080.30	429.50	0.73	1,300	1,420	1,585	2,040	2,550	2,800	2,990
34	2,985	2,257.56	2,273.18	2,288.79	435.04	0.67	1,520	1,630	1,780	2,240	2,778	3,010	3,280
35	4,572	2,478.46	2,491.35	2,504.24	444.61	0.39	1,700	1,815	1,970	2,470	3,025	3,260	3,435
36	10,615	2,744.29	2,753.19	2,762.10	468.10	0.32	1,900	2,027	2,200	2,730	3,350	3,575	3,720
37	19,856	2,958.42	2,964.70	2,970.99	451.80	0.27	2,145	2,260	2,410	2,948	3,530	3,720	3,870
38	53,611	3,191.55	3,195.28	3,199.02	440.95	0.23	2,400	2,500	2,660	3,180	3,760	3,940	4,066
39	83,705	3,345.77	3,348.66	3,351.56	427.09	0.21	2,583	2,680	2,827	3,330	3,900	4,073	4,190
40	156,114	3,481.35	3,483.50	3,485.65	433.58	0.19	2,710	2,803	2,950	3,470	4,040	4,217	4,335
41	66,328	3,605.77	3,609.14	3,612.51	442.94	0.21	2,810	2,915	3,060	3,600	4,180	4,350	4,480
42	21,347	3,651.73	3,657.87	3,664.02	457.93	0.18	2,835	2,930	3,090	3,645	4,245	4,430	4,545
43	1,857	3,679.29	3,701.73	3,724.16	492.91	0.16	2,785	2,890	3,081	3,710	4,330	4,540	4,650
44	153	3,610.57	3,692.87	3,775.17	515.26	0.18	2,736	2,863	3,025	3,660	4,309	4,706	4,763

Weight (Grams)

Smoothed* Percentiles for Females, 1981-2000




6.1.4. Descriptive Statistics for Singleton Males

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	57	383.90	423.12	462.35	147.84	1.97	265	275	290	380	590	800	885
21	81	411.37	478.27	545.17	302.54	7.39	320	340	360	430	550	620	650
22	137	509.98	535.01	560.05	148.18	2.39	360	375	400	520	675	757	800
23	162	584.24	604.34	624.44	129.55	1.44	380	400	460	600	710	800	900
24	231	710.61	735.53	760.44	192.19	2.94	500	520	590	710	870	1,000	1,310
25	237	793.79	812.41	831.02	145.49	1.95	580	600	640	810	937	1,020	1,060
26	313	909.42	933.16	956.90	213.46	1.17	550	620	700	920	1,150	1,295	1,370
27	326	1,035.57	1,061.80	1,088.02	240.67	2.12	630	700	809	1,045	1,300	1,375	1,492
28	457	1,212.63	1,244.87	1,277.11	350.73	2.24	680	780	930	1,200	1,540	1,790	2,009
29	479	1,373.65	1,407.64	1,441.62	378.57	3.52	850	925	1,049	1,380	1,690	1,910	2,100
30	671	1,591.72	1,631.47	1,671.22	524.42	1.97	880	990	1,160	1,550	2,060	2,905	3,260
31	737	1,733.17	1,765.98	1,798.80	453.79	1.98	1,040	1,135	1,300	1,730	2,130	2,380	2,975
32	1,323	1,951.36	1,974.07	1,996.78	421.03	0.93	1,235	1,340	1,520	1,950	2,410	2,669	2,940
33	1,642	2,159.62	2,179.57	2,199.53	412.28	0.78	1,450	1,559	1,700	2,160	2,630	2,880	3,077
34	3,143	2,396.59	2,411.70	2,426.81	431.98	0.58	1,637	1,760	1,900	2,381	2,900	3,160	3,335
35	4,721	2,603.65	2,616.22	2,628.78	440.41	0.44	1,835	1,944	2,116	2,600	3,155	3,375	3,515
36	11,433	2,879.96	2,888.48	2,897.00	464.78	0.36	2,060	2,180	2,340	2,863	3,480	3,690	3,835
37	21,134	3,096.64	3,102.82	3,108.99	457.83	0.20	2,280	2,390	2,560	3,085	3,680	3,870	4,010
38	57,855	3,327.10	3,330.75	3,334.39	447.69	0.21	2,525	2,637	2,790	3,311	3,900	4,090	4,220
39	87,266	3,484.89	3,487.82	3,490.75	441.36	0.20	2,696	2,800	2,948	3,470	4,050	4,231	4,360
40	157,563	3,631.98	3,634.20	3,636.43	450.37	0.19	2,830	2,928	3,080	3,620	4,215	4,400	4,520
41	67,662	3,768.60	3,772.06	3,775.51	458.34	0.15	2,948	3,046	3,201	3,760	4,360	4,540	4,670
42	22,931	3,818.51	3,824.70	3,830.88	477.55	0.10	2,948	3,060	3,232	3,813	4,440	4,621	4,750
43	2,032	3,841.95	3,863.08	3,884.21	485.75	0.12	2,977	3,090	3,260	3,856	4,480	4,677	4,800
44	255	3,747.81	3,812.22	3,876.62	522.26	0.11	2,807	2,948	3,175	3,770	4,550	4,734	4,904

Smoothed* Percentiles for Singleton Males, 1981-2000

Weight (Grams)




6.1.5. Descriptive Statistics for Singleton Females

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	37	357.88			461.30	564.71	310.17	2.79	200	200	260
21	83	415.74	444.61	473.49	132.25	1.92	280	300	320	420	570	728	810
22	98	478.67	497.56	516.46	94.25	0.29	310	360	400	495	630	670	700
23	139	551.05	567.79	584.53	99.83	0.31	415	440	454	560	700	765	800
24	183	652.76	682.59	712.42	204.52	4.81	410	490	520	655	840	907	975
25	171	767.54	804.52	841.50	244.97	2.82	454	540	600	780	964	1,070	1,389
26	276	873.74	911.11	948.48	315.37	4.50	540	570	685	873	1,100	1,260	1,370
27	278	988.27	1,014.61	1,040.95	223.10	0.63	555	660	740	1,010	1,260	1,370	1,480
28	369	1,168.98	1,215.36	1,261.74	453.08	3.05	705	755	850	1,160	1,500	1,860	2,800
29	353	1,281.94	1,325.32	1,368.70	414.39	2.40	700	770	930	1,295	1,640	1,830	2,320
30	494	1,579.02	1,628.96	1,678.89	564.89	1.87	880	940	1,150	1,520	2,280	3,005	3,340
31	560	1,641.78	1,680.63	1,719.48	468.03	1.91	980	1,083	1,235	1,645	2,046	2,517	2,880
32	1,055	1,862.63	1,890.12	1,917.60	455.02	1.06	1,110	1,247	1,401	1,843	2,381	2,693	2,980
33	1,325	2,087.82	2,111.82	2,135.83	445.38	0.72	1,315	1,440	1,620	2,080	2,600	2,900	3,180
34	2,377	2,308.51	2,326.38	2,344.26	444.53	0.66	1,570	1,670	1,820	2,300	2,852	3,130	3,374
35	3,824	2,527.88	2,541.97	2,556.07	444.59	0.39	1,740	1,885	2,020	2,521	3,090	3,317	3,487
36	9,450	2,782.68	2,792.06	2,801.43	464.90	0.30	1,950	2,075	2,250	2,770	3,400	3,600	3,750
37	18,260	2,988.23	2,994.70	3,001.16	445.44	0.29	2,183	2,305	2,460	2,977	3,550	3,750	3,895
38	51,757	3,206.86	3,210.61	3,214.36	435.07	0.25	2,435	2,530	2,680	3,193	3,770	3,941	4,080
39	82,769	3,351.27	3,354.16	3,357.05	424.44	0.23	2,600	2,695	2,835	3,340	3,900	4,080	4,196
40	155,547	3,483.26	3,485.41	3,487.55	432.38	0.20	2,720	2,807	2,950	3,470	4,040	4,220	4,337
41	66,228	3,606.69	3,610.06	3,613.43	442.37	0.22	2,815	2,920	3,062	3,600	4,180	4,350	4,480
42	21,306	3,652.96	3,659.10	3,665.24	457.18	0.19	2,840	2,940	3,090	3,650	4,245	4,430	4,545
43	1,853	3,681.13	3,703.54	3,725.94	491.73	0.17	2,800	2,892	3,090	3,710	4,330	4,540	4,650
44	153	3,610.57	3,692.87	3,775.17	515.26	0.18	2,736	2,863	3,025	3,660	4,309	4,706	4,763

Smoothed* Percentiles for Singleton Females, 1981-2000

Weight (Grams)




6.1.6. Descriptive Statistics for Multiple Births

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	22	308.94	354.50	400.06	102.76	1.38	229	245	255	328	475	535	650
21	37	383.02	409.57	436.12	79.63	0.62	280	280	320	410	530	580	580
22	62	458.27	487.18	516.08	113.82	0.05	245	270	360	480	640	665	700
23	80	524.03	545.56	567.10	96.77	0.20	375	380	425	545	656	710	737
24	111	609.10	633.19	657.28	128.06	1.13	400	420	495	630	750	800	820
25	110	699.53	732.64	765.74	175.18	1.93	440	482	555	705	895	940	960
26	134	814.64	846.46	878.28	186.21	0.93	480	600	640	845	1,020	1,130	1,150
27	142	962.21	995.64	1,029.07	201.50	0.66	624	690	780	980	1,200	1,340	1,390
28	243	1,110.52	1,139.31	1,168.10	227.84	1.11	700	800	879	1,160	1,361	1,445	1,502
29	205	1,243.66	1,275.90	1,308.13	234.07	-0.04	800	860	1,000	1,290	1,620	1,655	1,730
30	282	1,396.77	1,426.41	1,456.06	252.91	0.79	940	1,005	1,117	1,434	1,690	1,800	1,843
31	348	1,541.85	1,570.10	1,598.36	267.97	0.02	1,050	1,115	1,240	1,575	1,900	2,000	2,040
32	658	1,730.86	1,755.46	1,780.05	321.33	0.06	1,120	1,225	1,370	1,769	2,155	2,290	2,353
33	811	1,912.76	1,934.63	1,956.49	317.26	-0.09	1,310	1,420	1,540	1,950	2,300	2,400	2,495
34	1,243	2,096.75	2,115.74	2,134.73	341.22	-0.18	1,420	1,546	1,690	2,127	2,510	2,660	2,743
35	1,521	2,263.61	2,281.30	2,298.98	351.59	-0.22	1,600	1,673	1,835	2,285	2,720	2,835	2,930
36	2,403	2,479.15	2,494.67	2,510.19	387.91	0.00	1,775	1,880	2,020	2,495	2,970	3,111	3,210
37	3,245	2,661.85	2,675.31	2,688.78	391.27	0.03	1,950	2,040	2,190	2,673	3,160	3,315	3,407
38	3,678	2,810.85	2,823.56	2,836.28	393.28	-0.01	2,100	2,200	2,345	2,810	3,320	3,464	3,550
39	1,813	2,906.44	2,925.61	2,944.78	416.19	0.00	2,155	2,268	2,400	2,920	3,459	3,610	3,720
40	1,071	2,979.06	3,006.72	3,034.39	461.47	0.02	2,126	2,260	2,438	3,000	3,596	3,800	3,910
41	186	3,050.02	3,124.61	3,199.20	515.62	-0.25	2,100	2,210	2,485	3,155	3,780	3,990	4,100
42	69	2,978.33	3,078.22	3,178.11	415.81	0.22	2,381	2,450	2,590	3,062	3,622	3,799	3,827
43	4	2,359.31	2,863.00	3,366.69	316.54	-0.44	2,466	2,466	2,466	2,892	3,203	3,203	3,203


Smoothed* Percentiles for Multiple Births, 1981-2000

Weight (Grams)



6.1.7. Descriptive Statistics for First Nations People


Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	9	244.90	416.00	587.10	222.59	2.79	265	265	265	360	999	999	999
21	12	404.64	510.67	616.69	166.87	0.99	350	350	360	485	700	880	880
22	27	512.64	607.22	701.80	239.09	2.17	400	400	420	540	1,070	1,240	1,350
23	34	563.18	607.29	651.41	126.44	0.22	400	400	465	592	800	820	820
24	33	686.77	769.48	852.20	233.28	2.29	520	540	580	690	992	1,100	1,720
25	44	768.89	847.07	925.25	257.14	1.55	454	482	567	833	1,160	1,317	1,673
26	67	909.43	970.69	1,031.94	251.13	1.38	600	620	675	960	1,200	1,370	1,520
27	87	1,086.48	1,143.57	1,200.67	267.89	1.89	661	690	851	1,120	1,410	1,500	1,528
28	124	1,266.87	1,347.32	1,427.77	452.58	2.17	690	846	935	1,249	1,745	2,153	2,665
29	111	1,454.75	1,539.39	1,624.03	449.97	2.02	992	1,060	1,125	1,470	1,928	2,410	2,990
30	154	1,663.75	1,747.73	1,831.72	527.55	1.60	990	1,120	1,235	1,647	2,370	2,875	3,510
31	168	1,761.76	1,832.28	1,902.80	462.97	2.01	1,095	1,220	1,400	1,800	2,260	2,523	2,835
32	321	1,980.41	2,027.15	2,073.89	425.64	0.81	1,335	1,430	1,550	1,990	2,515	2,764	2,940
33	373	2,204.04	2,250.65	2,297.26	457.79	0.94	1,530	1,580	1,750	2,211	2,800	3,147	3,340
34	678	2,420.67	2,453.46	2,486.25	434.81	0.56	1,740	1,820	1,975	2,428	2,977	3,210	3,345
35	871	2,608.31	2,639.52	2,670.73	469.29	0.19	1,800	1,870	2,080	2,620	3,250	3,470	3,575
36	2,366	2,915.90	2,934.99	2,954.08	473.53	0.37	2,126	2,220	2,360	2,900	3,550	3,785	3,912
37	3,717	3,133.61	3,148.64	3,163.67	467.44	0.23	2,310	2,400	2,580	3,140	3,722	3,911	4,050
38	8,832	3,356.15	3,365.90	3,375.65	467.45	0.12	2,495	2,620	2,800	3,350	3,950	4,160	4,280
39	10,899	3,508.94	3,517.58	3,526.21	459.76	0.11	2,680	2,790	2,950	3,500	4,100	4,273	4,415
40	20,578	3,638.49	3,644.86	3,651.22	466.09	0.16	2,810	2,920	3,070	3,630	4,231	4,422	4,550
41	5,617	3,769.77	3,782.38	3,794.99	482.24	0.20	2,920	3,021	3,180	3,770	4,410	4,580	4,710
42	1,621	3,764.16	3,788.26	3,812.36	494.65	0.12	2,890	3,000	3,175	3,770	4,430	4,621	4,770
43	189	3,805.48	3,881.75	3,958.02	531.51	0.38	2,860	2,985	3,203	3,860	4,560	4,690	4,933
44	23	3,513.08	3,703.78	3,894.48	440.99	-0.65	2,640	2,863	3,147	3,799	4,082	4,295	4,550



6.1.8. Descriptive Statistics for Births with Congenital Anomalies


Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	16	301.57	347.81	394.06	86.79	0.73	200	200	265	330	495	540	540
21	14	361.82	459.86	557.89	169.80	2.76	295	295	345	430	573	1,000	1,000
22	12	444.48	508.75	573.02	101.15	0.30	375	375	380	527	630	700	700
23	15	524.89	639.60	754.31	207.13	2.67	370	370	460	612	680	1,320	1,320
24	10	556.65	784.00	1,011.35	317.81	2.58	550	550	565	685	1,248	1,640	1,640
25	13	706.63	816.15	925.68	181.25	-0.10	450	450	625	830	1,035	1,160	1,160
26	21	869.06	1,066.00	1,262.94	432.65	1.51	615	627	650	980	1,690	2,040	2,180
27	24	934.44	1,056.04	1,177.65	287.99	-0.04	460	520	720	1,068	1,500	1,540	1,600
28	34	1,141.94	1,249.82	1,357.71	309.20	1.06	900	900	907	1,200	1,720	1,995	1,995
29	21	1,314.01	1,463.19	1,612.37	327.72	0.16	740	1,000	1,160	1,510	1,700	2,000	2,230
30	40	1,388.71	1,601.98	1,815.24	666.82	1.60	800	826	910	1,500	2,495	3,247	3,460
31	51	1,438.06	1,593.12	1,748.17	551.30	0.55	800	815	930	1,570	2,285	2,630	2,820
32	94	1,655.68	1,755.27	1,854.85	486.23	0.14	794	976	1,180	1,690	2,400	2,600	2,620
33	106	1,913.26	2,028.19	2,143.11	596.74	0.97	1,000	1,121	1,380	1,953	2,715	3,100	3,230
34	156	2,090.21	2,169.38	2,248.54	500.56	0.23	1,270	1,400	1,560	2,130	2,860	3,075	3,147
35	274	2,356.38	2,422.76	2,489.14	558.11	0.31	1,290	1,480	1,700	2,400	3,100	3,294	3,440
36	528	2,587.08	2,632.72	2,678.36	533.85	-0.33	1,531	1,700	1,970	2,663	3,300	3,520	3,640
37	907	2,911.70	2,946.82	2,981.95	539.00	0.07	1,860	2,060	2,265	2,948	3,600	3,790	4,000
38	1,868	3,135.01	3,157.93	3,180.86	505.10	0.01	2,196	2,320	2,535	3,160	3,772	3,997	4,120
39	2,433	3,343.64	3,363.03	3,382.41	487.58	-0.07	2,430	2,560	2,770	3,370	3,960	4,140	4,280
40	4,116	3,482.20	3,496.88	3,511.56	480.34	0.05	2,600	2,725	2,900	3,487	4,100	4,290	4,428
41	1,771	3,611.75	3,634.26	3,656.76	482.97	-0.05	2,705	2,835	3,060	3,625	4,252	4,420	4,510
42	664	3,598.90	3,638.95	3,679.00	525.62	-0.06	2,650	2,760	3,000	3,657	4,320	4,500	4,605
43	64	3,501.94	3,656.84	3,811.75	620.13	0.10	2,450	2,650	2,785	3,629	4,440	4,615	4,904
44	9	3,084.03	3,466.44	3,848.86	497.51	-1.58	2,360	2,360	2,360	3,600	3,997	3,997	3,997

Comparison of Three Unsmoothed Percentiles for Congenital Anomalies and All Births




6.1.9. Descriptive Statistics for Births to Primiparae

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	53	368.96	410.53	452.10	150.82	1.46	229	245	273	380	590	800	851
21	90	409.10	471.58	534.06	298.31	7.05	280	320	335	420	545	728	1,000
22	140	483.67	502.89	522.11	115.01	1.17	310	350	385	500	620	675	740
23	178	555.73	570.04	584.35	96.75	0.07	380	390	440	570	680	730	750
24	247	672.30	694.88	717.46	180.15	2.85	430	490	523	676	840	900	1,000
25	240	760.70	784.97	809.23	190.84	2.43	480	540	589	785	938	1,037	1,080
26	335	880.26	910.12	939.99	277.88	3.83	520	550	650	890	1,120	1,260	1,361
27	335	984.40	1,006.17	1,027.93	202.52	-0.26	525	665	750	1,010	1,260	1,340	1,361
28	472	1,155.31	1,187.52	1,219.73	356.16	2.85	690	750	890	1,145	1,480	1,616	1,899
29	466	1,286.36	1,318.62	1,350.89	354.46	3.36	740	835	940	1,305	1,650	1,758	1,940
30	657	1,536.23	1,574.65	1,613.08	501.62	1.98	860	907	1,100	1,510	1,984	2,630	3,080
31	738	1,648.97	1,679.01	1,709.05	415.69	1.45	1,000	1,090	1,220	1,660	2,030	2,330	2,630
32	1,336	1,862.45	1,885.04	1,907.63	420.81	0.81	1,140	1,247	1,400	1,866	2,353	2,560	2,750
33	1,674	2,083.45	2,103.46	2,123.47	417.39	0.58	1,361	1,460	1,623	2,090	2,570	2,820	3,000
34	3,139	2,313.20	2,328.23	2,343.26	429.56	0.52	1,560	1,660	1,815	2,310	2,825	3,030	3,245
35	4,707	2,515.75	2,528.00	2,540.25	428.74	0.32	1,735	1,870	2,020	2,510	3,050	3,254	3,420
36	10,685	2,770.04	2,778.51	2,786.97	446.27	0.24	1,960	2,075	2,240	2,760	3,345	3,544	3,680
37	18,634	2,980.45	2,986.82	2,993.19	443.62	0.18	2,162	2,290	2,450	2,975	3,540	3,720	3,860
38	44,732	3,190.35	3,194.37	3,198.38	433.02	0.15	2,404	2,510	2,665	3,182	3,742	3,918	4,030
39	68,951	3,345.03	3,348.21	3,351.38	425.43	0.20	2,580	2,680	2,830	3,335	3,890	4,065	4,185
40	139,421	3,490.87	3,493.16	3,495.46	436.63	0.21	2,720	2,810	2,960	3,480	4,054	4,239	4,360
41	68,078	3,628.48	3,631.86	3,635.24	449.77	0.20	2,825	2,920	3,075	3,620	4,205	4,385	4,519
42	23,961	3,691.40	3,697.30	3,703.21	466.52	0.15	2,863	2,950	3,118	3,685	4,300	4,480	4,610
43	2,156	3,716.49	3,736.98	3,757.48	485.30	0.07	2,835	2,948	3,120	3,742	4,330	4,540	4,670
44	212	3,667.04	3,739.94	3,812.84	538.46	0.38	2,892	2,948	3,118	3,688	4,451	4,819	4,904



6.1.10. Descriptive Statistics for Births to Multiparae

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	62	374.06	437.85	501.65	251.21	3.40	240	255	280	375	580	850	1,500
21	107	415.11	434.75	454.38	102.45	1.47	300	300	320	420	570	620	700
22	155	500.45	522.21	543.97	137.15	2.29	280	360	400	510	665	700	757
23	198	569.17	587.37	605.57	129.84	1.39	400	430	450	585	727	820	840
24	278	672.67	695.94	719.20	197.09	4.15	420	487	525	670	860	975	1,070
25	278	776.89	799.68	822.47	193.05	2.78	520	560	620	800	940	1,050	1,095
26	386	884.29	907.71	931.12	233.98	3.24	580	625	681	888	1,130	1,224	1,370
27	409	1,027.05	1,050.82	1,074.59	244.54	2.13	640	705	805	1,024	1,290	1,390	1,503
28	590	1,195.68	1,225.70	1,255.72	371.29	2.87	700	794	900	1,188	1,495	1,750	2,009
29	568	1,353.92	1,385.31	1,416.70	380.88	2.69	850	920	1,049	1,350	1,670	1,900	2,100
30	783	1,568.82	1,604.58	1,640.34	509.76	2.18	970	1,021	1,180	1,510	2,020	2,863	3,260
31	906	1,678.75	1,707.79	1,736.82	445.31	2.31	1,040	1,120	1,280	1,679	2,090	2,230	2,497
32	1,698	1,886.42	1,906.58	1,926.74	423.56	1.07	1,180	1,300	1,474	1,873	2,350	2,580	2,892
33	2,093	2,084.77	2,102.61	2,120.44	416.14	0.84	1,380	1,500	1,625	2,085	2,565	2,778	3,005
34	3,610	2,311.67	2,326.03	2,340.38	439.90	0.62	1,560	1,690	1,827	2,300	2,840	3,095	3,260
35	5,333	2,533.39	2,545.68	2,557.97	457.73	0.45	1,730	1,843	2,012	2,523	3,105	3,345	3,500
36	12,552	2,826.01	2,834.61	2,843.21	491.42	0.34	1,956	2,090	2,252	2,807	3,459	3,690	3,830
37	23,910	3,046.99	3,052.99	3,058.99	473.43	0.24	2,200	2,310	2,480	3,035	3,650	3,850	4,000
38	68,354	3,298.67	3,302.10	3,305.54	457.94	0.22	2,480	2,585	2,750	3,284	3,884	4,080	4,210
39	102,610	3,461.58	3,464.30	3,467.02	445.25	0.20	2,665	2,770	2,920	3,450	4,030	4,215	4,340
40	174,215	3,608.54	3,610.66	3,612.78	451.83	0.17	2,800	2,900	3,052	3,600	4,190	4,370	4,500
41	65,754	3,749.03	3,752.53	3,756.04	458.89	0.16	2,925	3,030	3,180	3,740	4,340	4,525	4,650
42	20,308	3,792.22	3,798.83	3,805.44	480.65	0.13	2,915	3,033	3,200	3,790	4,415	4,600	4,732
43	1,730	3,822.66	3,846.32	3,869.98	501.76	0.18	2,900	3,040	3,232	3,830	4,500	4,677	4,819
44	196	3,726.26	3,797.23	3,868.20	503.76	-0.17	2,736	2,863	3,175	3,805	4,479	4,690	4,734




6.1.11. Descriptive Statistics for Neighbourhood Income Quintile 1*

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	28	324.31			413.93	503.55	231.11	4.06	200	245	255
21	29	376.45	563.34	750.23	491.32	4.61	300	320	342	446	625	1,180	2,980
22	62	470.72	501.79	532.86	122.34	3.69	360	365	390	488	590	600	730
23	61	569.70	601.57	633.45	124.45	3.39	450	465	490	584	690	790	830
24	97	639.87	667.66	695.45	137.90	0.73	380	480	520	650	815	880	1,070
25	97	749.98	796.30	842.62	229.81	3.02	360	540	600	800	940	1,035	1,160
26	143	873.60	911.19	948.78	227.39	1.49	500	580	670	890	1,138	1,320	1,370
27	179	1,007.80	1,045.71	1,083.62	257.00	1.72	640	700	760	1,010	1,320	1,460	1,500
28	213	1,193.56	1,250.56	1,307.55	421.98	3.02	705	840	900	1,200	1,540	1,860	2,300
29	212	1,334.63	1,378.66	1,422.69	325.23	1.78	785	940	1,035	1,348	1,671	1,800	2,005
30	272	1,533.36	1,596.45	1,659.53	528.48	1.78	815	925	1,080	1,525	2,180	2,870	3,090
31	332	1,652.02	1,701.05	1,750.09	454.21	1.97	1,050	1,130	1,250	1,670	2,040	2,270	3,020
32	591	1,861.11	1,894.11	1,927.11	408.49	0.52	1,110	1,220	1,425	1,885	2,380	2,530	2,639
33	765	2,068.43	2,096.87	2,125.30	400.63	0.52	1,380	1,500	1,625	2,080	2,565	2,730	2,950
34	1,335	2,294.79	2,316.60	2,338.42	406.33	0.33	1,550	1,670	1,830	2,300	2,800	3,000	3,175
35	2,000	2,491.08	2,510.01	2,528.94	431.69	0.35	1,740	1,870	1,988	2,500	3,036	3,234	3,383
36	4,360	2,752.31	2,765.60	2,778.89	447.63	0.26	1,947	2,056	2,224	2,760	3,316	3,510	3,640
37	8,382	2,996.74	3,006.56	3,016.37	458.44	0.30	2,180	2,300	2,460	2,982	3,585	3,776	3,917
38	21,738	3,226.48	3,232.42	3,238.37	446.94	0.23	2,435	2,540	2,690	3,210	3,800	3,990	4,128
39	32,365	3,390.76	3,395.58	3,400.40	442.43	0.26	2,606	2,705	2,850	3,380	3,960	4,150	4,275
40	53,851	3,535.98	3,539.78	3,543.58	450.37	0.23	2,740	2,840	2,990	3,520	4,120	4,310	4,429
41	23,332	3,666.70	3,672.60	3,678.50	459.95	0.20	2,850	2,956	3,105	3,655	4,265	4,459	4,580
42	6,162	3,724.33	3,736.22	3,748.11	476.26	0.20	2,895	2,985	3,150	3,720	4,370	4,540	4,680
43	424	3,792.21	3,841.30	3,890.40	514.32	-0.02	2,850	3,000	3,180	3,850	4,490	4,630	4,730
44	28	3,600.55	3,808.96	4,017.37	537.47	-0.06	2,670	2,930	3,130	3,835	4,640	4,705	4,870

*Quintiles 1 to 5 lowest to highest

Smoothed* Percentiles for Neighbourhood Income Quintile 1, 1985-2000




*Quintiles 1 to 5 lowest to highest

6.1.12. Descriptive Statistics for Neighbourhood Income Quintile 2*

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	23	337.31	383.48	429.64	106.76	0.75	200	229	262	360	535	580	650
21	39	383.69	403.69	423.69	61.70	-0.01	280	280	320	410	495	515	515
22	40	459.54	487.53	515.51	87.51	-0.60	267	334	413	484	575	640	650
23	79	555.62	578.35	601.09	101.49	0.23	400	420	440	580	709	765	800
24	95	646.29	685.24	724.20	191.23	3.09	360	420	515	665	810	860	1,010
25	100	760.46	792.24	824.02	160.15	0.51	501	559	620	800	943	1,012	1,055
26	118	883.02	919.96	956.89	202.58	1.15	570	615	660	918	1,105	1,200	1,235
27	121	984.32	1,020.72	1,057.12	202.23	-0.47	520	665	740	1,025	1,260	1,300	1,391
28	167	1,103.75	1,153.83	1,203.90	327.75	3.32	690	715	840	1,140	1,390	1,486	1,610
29	168	1,306.34	1,362.48	1,418.61	368.52	2.48	835	865	980	1,358	1,640	1,790	1,965
30	238	1,542.88	1,609.72	1,676.57	523.46	2.41	985	1,068	1,190	1,510	1,930	2,980	3,388
31	267	1,666.16	1,716.45	1,766.73	417.34	1.43	1,015	1,110	1,270	1,700	2,090	2,380	2,620
32	452	1,831.78	1,866.29	1,900.79	373.27	0.60	1,160	1,340	1,460	1,879	2,265	2,435	2,500
33	626	2,065.75	2,098.58	2,131.42	418.33	0.61	1,375	1,480	1,615	2,085	2,570	2,811	3,040
34	1,124	2,280.48	2,305.65	2,330.81	429.93	0.52	1,570	1,650	1,810	2,299	2,800	3,010	3,200
35	1,779	2,491.10	2,510.51	2,529.92	417.39	0.24	1,690	1,830	2,000	2,500	3,025	3,220	3,300
36	3,697	2,753.28	2,767.89	2,782.50	453.11	0.13	1,925	2,050	2,220	2,760	3,340	3,530	3,677
37	7,409	2,994.06	3,004.32	3,014.57	450.39	0.22	2,180	2,300	2,472	2,990	3,570	3,750	3,870
38	20,113	3,237.00	3,243.21	3,249.43	449.85	0.24	2,431	2,540	2,700	3,225	3,820	4,000	4,134
39	30,463	3,398.57	3,403.49	3,408.41	438.34	0.24	2,630	2,720	2,860	3,390	3,970	4,150	4,276
40	51,138	3,548.49	3,552.35	3,556.21	445.25	0.20	2,750	2,850	3,000	3,535	4,125	4,309	4,439
41	22,506	3,678.43	3,684.50	3,690.56	464.01	0.20	2,850	2,950	3,110	3,670	4,280	4,460	4,600
42	5,939	3,726.98	3,739.08	3,751.17	475.32	0.10	2,860	2,990	3,155	3,727	4,340	4,540	4,675
43	356	3,757.62	3,811.53	3,865.44	517.17	0.12	2,840	2,920	3,120	3,830	4,460	4,650	4,750
44	27	3,512.98	3,699.00	3,885.02	470.23	0.05	2,750	2,940	3,063	3,740	4,430	4,480	4,700

*Quintiles 1 to 5 lowest to highest

Smoothed* Percentiles for Neighbourhood Income Quintile 2, 1985-2000




*Quintiles 1 to 5 lowest to highest

6.1.13. Descriptive Statistics for Neighbourhood Income Quintile 3*

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	15	316.64			345.20	373.76	51.58	-0.34	250	250	273
21	39	391.47	429.18	466.89	116.34	3.21	280	280	345	400	508	610	610
22	44	468.57	522.73	576.89	178.15	2.67	360	380	380	492	695	740	950
23	60	544.05	570.98	597.91	104.24	0.00	375	405	450	578	705	750	770
24	79	632.50	655.84	679.17	104.18	-0.07	460	480	520	654	775	835	840
25	90	753.99	791.00	828.01	176.68	2.47	500	560	605	789	920	1,080	1,160
26	108	854.39	920.20	986.02	345.03	4.47	520	600	630	893	1,120	1,280	1,480
27	104	984.92	1,019.45	1,053.99	177.58	-0.30	720	730	810	1,010	1,250	1,341	1,360
28	161	1,158.77	1,205.09	1,251.41	297.60	2.36	745	825	905	1,195	1,440	1,570	1,640
29	154	1,232.55	1,286.65	1,340.75	339.82	1.41	690	770	900	1,290	1,620	1,760	1,950
30	234	1,518.80	1,579.48	1,640.17	471.19	2.09	925	995	1,170	1,508	1,910	2,630	3,015
31	272	1,681.20	1,737.79	1,794.39	474.12	2.45	1,000	1,085	1,280	1,695	2,104	2,300	2,630
32	450	1,850.19	1,885.86	1,921.52	384.97	0.74	1,200	1,280	1,418	1,877	2,280	2,510	2,697
33	594	2,024.98	2,057.56	2,090.15	404.38	0.43	1,270	1,360	1,600	2,080	2,460	2,673	2,900
34	1,106	2,292.36	2,316.57	2,340.77	410.27	0.33	1,520	1,675	1,840	2,300	2,808	3,030	3,175
35	1,532	2,502.06	2,522.82	2,543.57	414.13	0.47	1,790	1,900	2,040	2,500	3,000	3,210	3,400
36	3,435	2,755.46	2,770.34	2,785.22	444.86	0.23	1,935	2,050	2,238	2,760	3,320	3,500	3,634
37	6,816	3,017.51	3,028.44	3,039.36	460.24	0.21	2,180	2,295	2,470	3,010	3,600	3,800	3,940
38	18,538	3,257.89	3,264.30	3,270.72	445.67	0.17	2,450	2,560	2,715	3,250	3,830	4,000	4,125
39	28,787	3,415.59	3,420.70	3,425.82	442.56	0.21	2,625	2,730	2,880	3,405	3,985	4,168	4,300
40	50,458	3,567.19	3,571.10	3,575.02	448.54	0.22	2,770	2,870	3,020	3,551	4,141	4,330	4,455
41	22,216	3,698.51	3,704.49	3,710.48	455.05	0.20	2,896	2,997	3,149	3,690	4,290	4,485	4,602
42	5,926	3,758.52	3,770.38	3,782.24	465.66	0.16	2,950	3,040	3,200	3,760	4,380	4,555	4,674
43	393	3,797.61	3,846.24	3,894.87	490.36	0.02	2,830	3,020	3,210	3,860	4,450	4,660	4,800
44	20	3,630.67	3,763.70	3,896.73	284.24	0.39	3,280	3,330	3,434	3,710	4,185	4,285	4,350

*Quintiles 1 to 5 lowest to highest

Smoothed* Percentiles for Neighbourhood Income Quintile 3, 1985-2000




*Quintiles 1 to 5 lowest to highest

6.1.14. Descriptive Statistics for Neighbourhood Income Quintile 4*

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	13	289.00	400.92	512.85	185.22	3.22	240	240	290	375	400	999	999
21	31	411.94	463.03	514.12	139.29	1.58	295	315	324	437	620	810	880
22	52	450.00	481.33	512.65	112.52	0.11	270	280	310	485	625	660	700
23	46	539.30	567.41	595.52	94.66	1.69	420	450	460	560	660	685	705
24	64	662.87	725.91	788.95	252.37	6.12	495	550	600	690	830	893	980
25	57	752.86	820.96	889.07	256.67	3.27	560	560	590	800	1,021	1,100	1,823
26	93	874.50	936.15	997.80	299.33	2.91	540	640	699	888	1,150	1,350	1,725
27	96	984.53	1,028.17	1,071.80	215.35	-0.06	490	615	755	1,038	1,250	1,380	1,528
28	140	1,150.78	1,207.45	1,264.12	339.11	3.83	780	848	925	1,188	1,428	1,514	1,680
29	162	1,296.58	1,351.45	1,406.32	353.66	1.81	690	835	920	1,360	1,675	1,830	1,925
30	237	1,488.15	1,550.21	1,612.27	484.98	2.45	880	905	1,110	1,500	1,897	2,300	3,120
31	246	1,605.44	1,650.89	1,696.35	361.95	1.06	1,013	1,058	1,140	1,650	2,000	2,200	2,325
32	430	1,838.52	1,876.09	1,913.66	396.34	1.06	1,160	1,295	1,445	1,853	2,270	2,510	2,670
33	576	2,052.84	2,083.90	2,114.96	379.54	0.34	1,385	1,460	1,635	2,080	2,515	2,697	2,830
34	956	2,300.14	2,326.10	2,352.06	408.97	0.36	1,620	1,720	1,840	2,319	2,800	2,980	3,120
35	1,459	2,518.36	2,540.17	2,561.99	424.73	0.26	1,730	1,853	2,030	2,535	3,060	3,260	3,375
36	3,246	2,755.15	2,770.08	2,785.01	433.80	0.28	2,000	2,090	2,250	2,760	3,300	3,500	3,650
37	6,335	3,023.71	3,034.91	3,046.11	454.74	0.22	2,190	2,314	2,480	3,020	3,600	3,800	3,930
38	16,816	3,270.63	3,277.38	3,284.13	446.82	0.22	2,471	2,580	2,730	3,260	3,849	4,028	4,160
39	26,205	3,435.13	3,440.42	3,445.72	437.37	0.21	2,656	2,760	2,900	3,425	4,000	4,175	4,300
40	47,368	3,582.15	3,586.13	3,590.12	442.66	0.20	2,795	2,895	3,035	3,570	4,155	4,337	4,458
41	20,975	3,712.07	3,718.21	3,724.34	452.95	0.20	2,900	3,010	3,155	3,700	4,295	4,480	4,602
42	5,584	3,774.01	3,786.35	3,798.69	470.30	0.12	2,930	3,020	3,190	3,780	4,395	4,570	4,700
43	346	3,819.67	3,870.49	3,921.32	480.66	0.51	3,000	3,081	3,300	3,840	4,465	4,700	4,960
44	15	3,605.94	3,834.53	4,063.13	412.79	1.20	3,370	3,370	3,393	3,710	4,285	4,880	4,880

*Quintiles 1 to 5 lowest to highest

Smoothed* Percentiles for Neighbourhood Income Quintile 4, 1985-2000




*Quintiles 1 to 5 lowest to highest

6.1.15. Descriptive Statistics for Neighbourhood Income Quintile 5*

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	12	281.28			377.58	473.88	151.56	2.43	261	261	275
21	25	388.60	423.96	459.32	85.67	1.71	300	320	350	420	520	520	720
22	31	502.58	532.39	562.19	81.25	1.00	420	430	450	521	660	675	760
23	50	556.67	581.80	606.93	88.43	0.35	430	450	485	588	675	710	820
24	39	691.91	763.85	835.79	221.93	2.15	510	510	540	736	1,000	1,125	1,125
25	67	739.13	769.67	800.22	125.23	-0.90	500	535	620	790	900	945	960
26	88	857.21	925.16	993.11	320.69	4.12	480	555	620	898	1,150	1,260	1,378
27	95	984.69	1,026.01	1,067.33	202.84	0.01	580	660	767	1,045	1,270	1,340	1,380
28	129	1,153.72	1,220.58	1,287.44	383.80	2.45	675	780	880	1,160	1,658	1,860	2,009
29	121	1,296.79	1,346.37	1,395.95	275.45	1.04	925	1,020	1,075	1,330	1,610	1,755	2,100
30	154	1,505.87	1,580.08	1,654.30	466.19	1.82	915	990	1,155	1,520	1,960	2,545	3,090
31	202	1,603.42	1,662.13	1,720.85	423.21	2.41	1,050	1,120	1,250	1,625	1,960	2,149	2,590
32	358	1,833.60	1,874.58	1,915.57	394.29	0.67	1,150	1,260	1,430	1,856	2,320	2,560	2,760
33	482	2,066.57	2,100.54	2,134.50	379.48	0.61	1,440	1,480	1,640	2,107	2,540	2,640	2,755
34	861	2,287.47	2,312.68	2,337.89	376.92	0.21	1,580	1,710	1,860	2,300	2,778	2,900	3,020
35	1,242	2,501.78	2,525.75	2,549.72	430.60	0.17	1,740	1,868	2,040	2,525	3,020	3,195	3,342
36	2,669	2,768.43	2,784.91	2,801.39	434.20	0.27	1,990	2,130	2,270	2,780	3,320	3,520	3,650
37	5,532	3,015.74	3,027.43	3,039.13	443.87	0.23	2,220	2,325	2,480	3,005	3,585	3,780	3,912
38	14,909	3,285.63	3,292.72	3,299.82	441.76	0.24	2,500	2,600	2,750	3,280	3,850	4,047	4,190
39	22,906	3,451.18	3,456.77	3,462.36	431.41	0.22	2,690	2,780	2,920	3,440	4,015	4,200	4,310
40	41,113	3,591.07	3,595.31	3,599.56	439.29	0.17	2,810	2,900	3,055	3,580	4,160	4,340	4,460
41	18,218	3,725.27	3,731.73	3,738.19	444.80	0.16	2,926	3,028	3,174	3,720	4,300	4,480	4,600
42	4,840	3,773.73	3,786.92	3,800.10	467.89	0.13	2,940	3,040	3,190	3,780	4,380	4,567	4,720
43	286	3,769.54	3,819.41	3,869.28	428.47	0.14	3,020	3,140	3,280	3,820	4,422	4,570	4,655
44	11	3,313.86	3,563.55	3,813.23	371.66	0.58	3,050	3,050	3,220	3,430	4,020	4,250	4,250

*Quintiles 1 to 5 lowest to highest

Smoothed* Percentiles for Neighbourhood Income Quintile 4, 1985-2000




*Quintiles 1 to 5 lowest to highest

6.1.16. Descriptive Statistics for Births, 1981-1984

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	22	456.47			588.68	720.89	298.19	2.23	288	300	320
21	31	408.87	450.97	493.06	114.76	0.89	250	300	320	420	630	700	750
22	57	509.18	546.98	584.79	142.48	0.55	240	340	400	540	700	760	800
23	73	538.75	574.77	610.79	154.38	0.65	340	380	400	560	740	900	900
24	135	687.03	722.74	758.45	209.80	2.42	450	480	520	680	940	1,050	1,310
25	94	746.11	781.40	816.70	172.30	1.93	500	540	595	760	936	1,060	1,190
26	149	835.69	861.74	887.79	160.89	0.90	550	640	680	840	1,077	1,134	1,219
27	134	999.57	1,038.37	1,077.16	227.04	2.24	690	780	840	1,000	1,300	1,450	1,503
28	240	1,165.25	1,216.18	1,267.11	400.53	2.46	670	715	900	1,160	1,559	1,970	2,296
29	196	1,307.68	1,378.08	1,448.47	499.72	3.95	800	880	1,000	1,311	1,673	1,928	2,750
30	272	1,532.89	1,595.17	1,657.44	521.70	1.97	900	1,006	1,134	1,477	2,100	2,863	3,080
31	287	1,630.67	1,682.16	1,733.66	443.21	1.90	1,077	1,134	1,260	1,670	2,080	2,510	2,820
32	680	1,912.74	1,951.52	1,990.31	515.06	1.16	1,134	1,263	1,419	1,871	2,540	2,935	3,300
33	638	2,129.92	2,168.22	2,206.52	492.64	1.12	1,418	1,503	1,650	2,098	2,820	3,232	3,360
34	1,242	2,341.87	2,371.49	2,401.11	532.08	0.85	1,531	1,616	1,786	2,320	3,070	3,345	3,501
35	1,826	2,589.62	2,613.41	2,637.20	518.34	0.48	1,673	1,843	2,041	2,551	3,317	3,515	3,657
36	5,404	2,918.63	2,932.93	2,947.23	536.31	0.26	1,984	2,126	2,296	2,892	3,629	3,856	3,997
37	7,342	3,038.59	3,049.97	3,061.35	497.45	0.16	2,155	2,296	2,450	3,033	3,685	3,910	4,050
38	18,964	3,250.17	3,256.88	3,263.59	471.58	0.17	2,410	2,523	2,693	3,232	3,856	4,054	4,196
39	28,014	3,394.88	3,400.14	3,405.40	449.22	0.13	2,580	2,693	2,860	3,390	3,969	4,140	4,270
40	64,429	3,519.86	3,523.39	3,526.92	457.16	0.17	2,707	2,807	2,960	3,515	4,111	4,300	4,422
41	24,635	3,641.97	3,647.76	3,653.55	463.35	0.19	2,807	2,920	3,062	3,630	4,238	4,422	4,564
42	15,231	3,700.82	3,708.45	3,716.08	480.36	0.18	2,835	2,940	3,118	3,700	4,323	4,520	4,649
43	2,033	3,715.73	3,737.32	3,758.90	496.22	0.14	2,835	2,948	3,120	3,742	4,380	4,578	4,706
44	304	3,715.35	3,776.67	3,837.99	543.30	0.11	2,807	2,900	3,118	3,755	4,520	4,734	4,869

Weight (Grams)

Smoothed* Percentiles for Births, 1981-1984




6.1.17. Descriptive Statistics for Births, 1985-1988

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	30	357.39			454.63	551.87	260.41	2.69	200	200	245
21	52	412.08	445.38	478.69	119.62	1.79	300	320	340	410	580	728	810
22	74	477.32	514.30	551.27	159.60	3.24	310	340	375	495	620	730	760
23	79	546.61	569.24	591.87	101.02	0.26	375	380	450	560	709	770	790
24	91	675.57	709.03	742.49	160.66	2.18	500	510	540	680	850	975	1,000
25	123	769.10	813.20	857.29	247.02	3.07	450	540	600	800	960	1,060	1,200
26	154	870.34	909.05	947.75	243.13	1.64	550	600	670	878	1,140	1,370	1,520
27	158	981.55	1,018.22	1,054.88	233.32	2.38	580	690	770	1,000	1,205	1,280	1,380
28	237	1,159.85	1,196.11	1,232.38	283.40	3.16	800	850	910	1,180	1,440	1,570	1,620
29	200	1,318.01	1,360.05	1,402.09	301.47	0.63	793	900	1,000	1,350	1,730	1,845	1,965
30	286	1,564.68	1,620.45	1,676.23	479.20	1.84	1,000	1,090	1,200	1,530	2,120	2,570	3,120
31	296	1,623.36	1,672.13	1,720.90	426.36	2.27	1,020	1,100	1,210	1,648	2,015	2,180	2,450
32	535	1,843.53	1,875.96	1,908.39	381.83	0.51	1,200	1,310	1,420	1,877	2,320	2,530	2,620
33	783	2,079.11	2,107.46	2,135.82	404.20	0.24	1,370	1,503	1,640	2,100	2,590	2,800	3,000
34	1,253	2,285.77	2,308.54	2,331.30	410.75	0.27	1,550	1,670	1,820	2,290	2,800	2,976	3,120
35	1,725	2,497.03	2,517.11	2,537.19	425.29	0.34	1,760	1,870	2,013	2,500	3,040	3,240	3,400
36	4,020	2,750.92	2,764.74	2,778.57	447.17	0.20	1,940	2,060	2,230	2,750	3,300	3,500	3,630
37	7,240	2,990.23	3,000.71	3,011.20	455.05	0.25	2,160	2,280	2,450	2,990	3,580	3,750	3,863
38	19,960	3,239.02	3,245.28	3,251.55	451.59	0.17	2,430	2,540	2,700	3,230	3,820	4,000	4,150
39	32,308	3,406.39	3,411.20	3,416.02	441.75	0.20	2,620	2,720	2,865	3,400	3,980	4,150	4,280
40	64,287	3,549.17	3,552.63	3,556.09	447.98	0.19	2,750	2,850	3,000	3,540	4,130	4,310	4,430
41	24,917	3,673.28	3,679.02	3,684.75	461.91	0.15	2,840	2,950	3,100	3,670	4,280	4,460	4,580
42	10,664	3,733.88	3,742.88	3,751.88	474.08	0.13	2,890	2,990	3,150	3,733	4,350	4,540	4,680
43	848	3,763.48	3,797.39	3,831.31	503.19	0.39	2,860	3,000	3,180	3,790	4,430	4,600	4,750
44	56	3,658.07	3,785.73	3,913.39	476.69	0.10	2,736	3,050	3,250	3,815	4,430	4,640	4,870

Smoothed* Percentiles for Births, 1985-1988

Weight (Grams)




6.1.18. Descriptive Statistics for Births, 1989-1992

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	9	322.69			370.00	417.31	61.54	0.02	280	280	280
21	37	401.53	460.27	519.01	176.18	2.83	300	300	340	420	580	1,000	1,000
22	63	473.34	500.25	527.17	106.88	1.39	360	380	400	490	630	675	740
23	85	567.85	595.05	622.24	126.09	2.61	420	440	460	590	705	765	860
24	104	623.76	664.97	706.18	211.91	6.87	475	480	530	650	755	810	870
25	101	752.62	783.25	813.87	155.14	0.99	540	578	620	790	940	1,021	1,100
26	157	880.39	927.80	975.21	300.74	4.45	520	550	670	907	1,130	1,260	1,360
27	155	983.58	1,019.77	1,055.96	228.07	-0.15	525	595	710	1,040	1,295	1,350	1,460
28	210	1,156.85	1,209.73	1,262.61	388.70	3.31	745	795	878	1,173	1,498	1,740	1,894
29	201	1,304.13	1,353.96	1,403.78	358.26	1.81	795	865	960	1,330	1,655	1,810	2,235
30	319	1,483.90	1,533.06	1,582.23	446.33	2.10	860	920	1,075	1,500	1,900	2,263	2,530
31	348	1,656.03	1,695.72	1,735.40	376.44	0.99	1,015	1,125	1,290	1,690	2,040	2,285	2,590
32	594	1,848.24	1,880.79	1,913.34	403.88	0.82	1,145	1,240	1,430	1,870	2,300	2,540	2,722
33	744	2,055.19	2,084.45	2,113.71	406.58	0.51	1,330	1,440	1,600	2,090	2,560	2,700	2,905
34	1,388	2,301.18	2,323.24	2,345.30	418.96	0.40	1,560	1,697	1,836	2,314	2,800	3,000	3,160
35	2,084	2,499.03	2,517.83	2,536.63	437.57	0.32	1,700	1,830	1,990	2,519	3,043	3,220	3,330
36	4,512	2,765.75	2,778.86	2,791.97	449.14	0.21	1,943	2,080	2,240	2,768	3,350	3,540	3,680
37	8,774	3,007.68	3,017.26	3,026.84	457.86	0.20	2,170	2,290	2,468	3,000	3,590	3,790	3,920
38	23,941	3,251.87	3,257.56	3,263.25	448.94	0.17	2,440	2,550	2,700	3,245	3,825	4,000	4,135
39	36,135	3,408.17	3,412.69	3,417.20	437.44	0.22	2,630	2,726	2,880	3,400	3,975	4,150	4,270
40	63,983	3,556.83	3,560.31	3,563.78	448.78	0.19	2,750	2,850	3,000	3,546	4,137	4,318	4,440
41	27,109	3,686.78	3,692.20	3,697.62	455.31	0.22	2,880	2,980	3,130	3,680	4,280	4,460	4,600
42	9,854	3,760.37	3,769.66	3,778.94	470.37	0.18	2,930	3,035	3,190	3,756	4,380	4,560	4,700
43	474	3,749.66	3,795.90	3,842.14	512.34	0.18	2,862	2,970	3,160	3,777	4,450	4,700	4,767
44	27	3,478.86	3,640.96	3,803.06	409.77	-0.32	2,750	2,930	2,940	3,690	4,170	4,250	4,350

Smoothed* Percentiles for Births, 1989-1992

Weight (Grams)




6.1.19. Descriptive Statistics for Births, 1993-1996

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	22	331.51			363.05	394.58	71.13	1.27	261	273	290
21	45	358.56	475.78	592.99	390.15	6.27	280	280	315	420	520	570	625
22	59	481.67	507.93	534.19	100.77	0.06	267	310	406	500	660	680	700
23	71	569.96	589.10	608.24	80.85	0.04	450	450	480	606	670	720	735
24	99	647.63	681.71	715.79	170.88	2.49	380	500	523	660	815	975	1,100
25	109	770.72	801.80	832.87	163.67	1.66	520	560	610	810	945	1,038	1,050
26	135	893.25	940.15	987.05	275.51	2.80	610	620	665	896	1,195	1,378	1,490
27	147	1,029.35	1,066.55	1,103.75	228.19	2.38	700	735	830	1,065	1,310	1,375	1,391
28	188	1,173.71	1,232.59	1,291.47	409.22	2.98	690	745	901	1,175	1,475	1,852	2,680
29	241	1,308.57	1,351.00	1,393.44	334.41	1.86	785	840	1,035	1,355	1,650	1,735	1,965
30	300	1,506.43	1,564.60	1,622.76	511.93	2.00	823	903	1,115	1,494	1,938	2,845	3,158
31	355	1,642.55	1,689.79	1,737.02	452.53	1.66	940	1,020	1,156	1,665	2,110	2,300	2,480
32	641	1,852.51	1,883.11	1,913.72	394.55	0.67	1,170	1,280	1,449	1,870	2,305	2,440	2,670
33	831	2,051.91	2,078.52	2,105.13	390.81	0.59	1,365	1,445	1,605	2,070	2,530	2,680	2,830
34	1,522	2,292.63	2,312.80	2,332.97	401.22	0.35	1,590	1,695	1,825	2,300	2,800	2,990	3,180
35	2,192	2,498.17	2,515.61	2,533.05	416.36	0.19	1,740	1,850	2,020	2,502	3,010	3,185	3,360
36	4,770	2,748.21	2,760.71	2,773.21	440.43	0.24	1,950	2,080	2,242	2,750	3,302	3,500	3,645
37	9,696	3,013.65	3,022.78	3,031.92	458.97	0.21	2,191	2,300	2,460	3,000	3,600	3,799	3,940
38	25,655	3,253.14	3,258.62	3,264.09	447.51	0.20	2,450	2,560	2,720	3,242	3,830	4,010	4,140
39	38,364	3,416.99	3,421.43	3,425.86	442.96	0.23	2,630	2,730	2,880	3,400	3,990	4,180	4,305
40	64,251	3,563.65	3,567.09	3,570.52	443.93	0.20	2,775	2,878	3,021	3,550	4,140	4,320	4,445
41	29,897	3,693.62	3,698.77	3,703.91	453.59	0.18	2,887	2,989	3,140	3,685	4,280	4,467	4,580
42	6,018	3,757.85	3,769.76	3,781.66	471.06	0.09	2,904	3,011	3,180	3,760	4,370	4,545	4,675
43	301	3,830.98	3,881.04	3,931.10	441.38	-0.09	3,020	3,090	3,345	3,885	4,460	4,570	4,660
44	17	3,552.99	3,763.76	3,974.54	409.94	0.48	3,130	3,130	3,215	3,710	4,244	4,705	4,705


Smoothed* Percentiles for Births, 1993-1996

Weight (Grams)




6.1.20. Descriptive Statistics for Births, 1997-2000

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	34	318.43			341.71	364.99	66.72	0.65	245	245	262
21	36	403.64	422.69	441.74	56.30	0.02	320	320	342	435	480	502	502
22	44	461.26	489.61	517.96	93.24	-0.68	235	332	380	498	595	625	670
23	73	541.07	563.53	586.00	96.30	0.29	420	430	448	555	680	705	750
24	96	656.53	691.32	726.12	171.72	2.68	410	416	505	690	830	880	1,070
25	91	736.43	777.19	817.94	195.68	2.62	482	584	600	790	900	940	945
26	128	859.10	906.20	953.31	269.33	4.74	440	555	640	905	1,110	1,160	1,200
27	152	981.91	1,017.91	1,053.90	224.61	0.39	515	630	770	1,003	1,240	1,407	1,528
28	194	1,149.91	1,201.51	1,253.11	364.38	2.34	625	690	840	1,188	1,490	1,682	1,955
29	199	1,277.53	1,325.66	1,373.79	344.30	2.58	675	860	970	1,320	1,600	1,660	1,820
30	270	1,583.94	1,651.51	1,719.09	564.00	2.35	935	1,050	1,214	1,545	2,055	3,040	3,515
31	359	1,682.98	1,730.82	1,778.66	460.88	2.58	1,115	1,190	1,295	1,670	2,080	2,325	3,140
32	587	1,855.94	1,886.75	1,917.56	380.06	0.76	1,150	1,280	1,480	1,870	2,290	2,494	2,639
33	782	2,062.56	2,090.10	2,117.65	392.41	0.72	1,386	1,480	1,635	2,089	2,496	2,680	2,845
34	1,359	2,302.34	2,324.01	2,345.68	407.25	0.47	1,602	1,700	1,860	2,315	2,795	3,005	3,215
35	2,239	2,513.21	2,530.61	2,548.00	419.70	0.38	1,770	1,880	2,028	2,517	3,033	3,220	3,380
36	4,580	2,767.42	2,780.14	2,792.86	439.09	0.30	1,964	2,070	2,247	2,780	3,320	3,510	3,644
37	9,589	3,019.99	3,028.86	3,037.74	443.51	0.31	2,226	2,335	2,490	3,009	3,590	3,770	3,912
38	24,772	3,269.76	3,275.25	3,280.74	440.99	0.32	2,485	2,590	2,740	3,255	3,835	4,025	4,160
39	37,028	3,432.35	3,436.78	3,441.21	434.91	0.25	2,670	2,760	2,900	3,420	4,000	4,180	4,300
40	57,233	3,588.76	3,592.40	3,596.03	443.54	0.26	2,810	2,900	3,050	3,572	4,168	4,350	4,475
41	27,520	3,726.24	3,731.62	3,736.99	454.68	0.20	2,920	3,020	3,170	3,715	4,311	4,500	4,625
42	2,539	3,781.26	3,799.61	3,817.95	471.39	0.15	2,961	3,070	3,211	3,775	4,415	4,610	4,750
43	233	3,975.58	4,026.96	4,078.34	398.08	-0.63	3,112	3,300	3,685	3,974	4,535	4,655	4,728
44	4	2,556.41	3,681.25	4,806.09	706.91	1.54	3,080	3,080	3,080	3,473	4,700	4,700	4,700



6.1.21. Descriptive Statistics for Interior Health Authority

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	12	265.33			310.50	355.67	71.10	0.02	200	200	229
21	15	409.28	435.60	461.92	47.53	1.04	360	360	365	438	475	565	565
22	29	457.56	501.24	544.92	114.83	2.18	375	380	380	475	630	630	950
23	44	543.44	571.41	599.38	92.01	0.59	440	440	460	578	656	727	800
24	49	647.90	739.88	831.85	320.21	4.32	530	540	550	680	845	1,100	1,640
25	55	762.56	829.18	895.80	246.43	2.33	520	540	630	805	964	1,446	1,700
26	77	878.87	934.61	990.35	245.59	0.59	520	520	610	925	1,220	1,490	1,520
27	63	947.51	1,003.98	1,060.46	224.23	-0.15	500	585	680	1,025	1,240	1,341	1,380
28	95	1,138.67	1,199.46	1,260.25	298.41	3.67	825	900	930	1,195	1,415	1,528	1,710
29	113	1,298.76	1,349.12	1,399.47	270.18	0.86	880	950	1,050	1,350	1,640	1,690	1,965
30	167	1,510.49	1,593.35	1,676.22	542.39	2.57	900	1,000	1,175	1,510	1,910	3,034	3,280
31	172	1,638.30	1,695.85	1,753.40	382.34	2.12	1,110	1,170	1,310	1,679	2,080	2,180	2,300
32	341	1,835.29	1,872.97	1,910.65	353.75	0.95	1,260	1,360	1,480	1,860	2,250	2,450	2,530
33	442	2,046.85	2,085.77	2,124.69	416.37	1.11	1,400	1,500	1,642	2,080	2,550	2,780	3,020
34	783	2,265.90	2,293.05	2,320.20	387.01	0.26	1,600	1,690	1,820	2,284	2,760	2,900	3,010
35	1,173	2,472.12	2,495.46	2,518.80	407.47	0.43	1,774	1,870	2,022	2,480	2,970	3,200	3,350
36	2,541	2,733.32	2,750.35	2,767.38	437.67	0.32	1,987	2,100	2,250	2,734	3,294	3,493	3,630
37	4,926	2,978.27	2,990.69	3,003.10	444.45	0.16	2,160	2,284	2,457	2,974	3,550	3,748	3,870
38	12,451	3,228.38	3,236.32	3,244.27	452.07	0.19	2,420	2,524	2,690	3,220	3,810	4,000	4,130
39	20,320	3,397.84	3,403.83	3,409.82	435.53	0.18	2,620	2,721	2,868	3,390	3,960	4,149	4,270
40	40,560	3,543.89	3,548.19	3,552.50	442.45	0.19	2,750	2,850	3,003	3,535	4,110	4,300	4,421
41	17,276	3,678.00	3,684.78	3,691.57	454.98	0.16	2,865	2,965	3,120	3,670	4,270	4,450	4,570
42	4,805	3,727.85	3,741.24	3,754.63	473.38	0.11	2,880	2,990	3,160	3,730	4,350	4,520	4,660
43	353	3,761.48	3,811.87	3,862.25	481.31	0.14	2,830	2,950	3,210	3,830	4,344	4,550	4,655
44	26	3,469.48	3,649.08	3,828.67	444.64	0.53	2,736	2,940	3,130	3,645	4,080	4,430	4,870




6.1.22. Descriptive Statistics for Fraser Health Authority

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	27	337.84			368.44	399.05	77.36	1.10	240	290	290
21	54	385.42	485.26	585.10	365.79	6.26	275	320	340	420	540	810	1,000
22	77	458.67	480.95	503.23	98.16	0.05	270	280	360	480	570	670	695
23	91	552.92	572.44	591.96	93.72	0.78	380	420	465	570	670	705	750
24	130	632.10	651.77	671.44	113.37	0.11	410	475	520	650	785	845	880
25	144	773.04	810.47	847.90	227.23	3.53	535	560	620	785	945	1,060	1,095
26	169	860.66	911.96	963.26	337.81	4.84	555	610	630	888	1,108	1,180	1,260
27	188	994.07	1,024.93	1,055.79	214.51	0.06	555	630	740	1,030	1,270	1,360	1,455
28	267	1,163.44	1,207.06	1,250.68	361.99	2.48	700	740	900	1,170	1,495	1,740	1,860
29	305	1,259.73	1,299.77	1,339.81	355.32	1.89	675	745	910	1,300	1,590	1,735	1,900
30	389	1,553.81	1,604.70	1,655.59	510.53	2.23	910	1,005	1,172	1,515	2,015	2,859	3,388
31	480	1,677.77	1,716.59	1,755.41	432.84	2.23	1,013	1,100	1,295	1,679	2,060	2,323	2,711
32	818	1,865.08	1,893.22	1,921.37	410.10	0.77	1,150	1,280	1,430	1,870	2,320	2,560	2,790
33	1,134	2,051.74	2,074.99	2,098.25	399.14	0.28	1,330	1,420	1,595	2,080	2,520	2,685	2,840
34	1,890	2,292.66	2,311.65	2,330.65	421.09	0.51	1,535	1,670	1,830	2,299	2,800	3,000	3,200
35	2,872	2,503.21	2,518.98	2,534.75	430.94	0.24	1,704	1,843	2,000	2,502	3,035	3,240	3,380
36	6,196	2,751.61	2,762.83	2,774.06	450.66	0.16	1,915	2,035	2,220	2,760	3,320	3,500	3,650
37	12,024	3,014.34	3,022.54	3,030.75	458.99	0.25	2,180	2,300	2,465	3,010	3,595	3,780	3,930
38	32,751	3,259.84	3,264.70	3,269.55	448.36	0.18	2,440	2,560	2,715	3,250	3,837	4,015	4,150
39	52,464	3,421.98	3,425.78	3,429.59	444.73	0.23	2,640	2,730	2,880	3,410	3,995	4,180	4,300
40	85,723	3,571.47	3,574.48	3,577.49	450.03	0.20	2,773	2,870	3,020	3,560	4,152	4,340	4,460
41	38,727	3,698.14	3,702.71	3,707.27	458.32	0.18	2,875	2,985	3,138	3,686	4,290	4,480	4,600
42	10,080	3,768.84	3,778.02	3,787.20	470.19	0.17	2,940	3,040	3,200	3,760	4,390	4,570	4,700
43	594	3,825.02	3,864.10	3,903.17	484.89	0.02	2,940	3,060	3,260	3,862	4,470	4,645	4,790
44	26	3,662.37	3,848.35	4,034.33	460.45	-0.44	2,670	3,063	3,220	3,873	4,350	4,700	4,705

Weight (Grams)


Smoothed* Percentiles for Fraser Health Authority, 1981-2000



6.1.23. Descriptive Statistics for Vancouver Coastal Health Authority

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	31	328.99			415.45	501.91	235.72	3.57	200	245	260
21	58	383.10	415.10	447.10	121.71	4.50	280	295	320	400	485	580	580
22	56	484.21	509.09	533.97	92.89	0.12	332	365	400	500	620	700	730
23	78	553.52	581.50	609.48	124.09	2.78	415	430	450	577	680	750	765
24	95	672.14	710.61	749.08	188.83	2.04	380	430	530	710	860	1,066	1,125
25	90	738.50	776.34	814.18	180.67	1.46	343	540	600	800	938	1,040	1,060
26	151	861.80	901.50	941.20	246.89	2.10	480	550	680	888	1,095	1,200	1,480
27	149	953.40	992.08	1,030.76	238.95	2.25	520	670	705	1,000	1,230	1,300	1,320
28	230	1,138.19	1,184.11	1,230.03	353.43	2.95	690	745	825	1,188	1,425	1,580	1,860
29	193	1,343.99	1,387.79	1,431.59	308.50	1.09	840	900	1,030	1,380	1,680	1,810	1,950
30	270	1,495.87	1,551.96	1,608.06	468.17	1.73	800	960	1,078	1,500	2,013	2,570	2,735
31	322	1,658.16	1,710.42	1,762.69	476.72	2.06	1,020	1,110	1,205	1,665	2,040	2,400	3,140
32	537	1,821.58	1,856.15	1,890.72	407.81	0.64	1,100	1,200	1,335	1,840	2,320	2,510	2,600
33	774	2,070.58	2,098.03	2,125.49	389.10	0.24	1,380	1,515	1,640	2,100	2,540	2,720	2,890
34	1,328	2,298.52	2,320.93	2,343.34	416.27	0.24	1,560	1,650	1,820	2,310	2,800	3,000	3,180
35	1,991	2,510.42	2,528.47	2,546.52	410.63	0.29	1,800	1,900	2,045	2,520	3,030	3,210	3,370
36	4,354	2,765.71	2,778.94	2,792.18	445.44	0.18	1,945	2,060	2,240	2,770	3,325	3,520	3,660
37	9,244	3,006.77	3,015.85	3,024.93	445.47	0.24	2,200	2,315	2,480	3,000	3,580	3,750	3,890
38	25,138	3,237.50	3,242.84	3,248.19	432.46	0.25	2,480	2,575	2,720	3,220	3,800	3,980	4,100
39	36,488	3,395.42	3,399.81	3,404.19	427.42	0.25	2,640	2,740	2,880	3,380	3,940	4,120	4,250
40	51,682	3,536.68	3,540.48	3,544.27	439.95	0.24	2,760	2,860	3,000	3,520	4,110	4,300	4,419
41	23,955	3,674.03	3,679.75	3,685.46	451.27	0.24	2,880	2,980	3,120	3,665	4,260	4,440	4,560
42	5,599	3,738.62	3,750.88	3,763.14	467.80	0.18	2,920	3,006	3,165	3,740	4,350	4,560	4,690
43	314	3,745.10	3,801.58	3,858.07	508.72	0.01	2,840	2,970	3,120	3,840	4,430	4,655	4,760
44	19	3,430.18	3,652.63	3,875.09	461.54	0.55	2,930	2,930	3,050	3,560	4,340	4,640	4,640


Smoothed* Percentiles for Vancouver Coastal Health Authority, 1981-2000



6.1.24. Descriptive Statistics for Vancouver Island Health Authority


Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	13	272.56			314.69	356.83	69.73	-0.14	200	200	229
21	15	409.28	435.60	461.92	47.53	1.04	360	360	365	438	475	565	565
22	29	457.56	501.24	544.92	114.83	2.18	375	380	380	475	630	630	950
23	45	543.35	570.71	598.07	91.08	0.62	440	440	460	570	656	727	800
24	49	647.90	739.88	831.85	320.21	4.32	530	540	550	680	845	1,100	1,640
25	58	765.19	828.52	891.84	240.83	2.37	520	540	630	808	964	1,446	1,700
26	77	878.87	934.61	990.35	245.59	0.59	520	520	610	925	1,220	1,490	1,520
27	65	953.13	1,008.48	1,063.82	223.35	-0.18	500	585	680	1,025	1,250	1,341	1,380
28	97	1,143.51	1,203.29	1,263.06	296.58	3.63	825	900	930	1,200	1,425	1,528	1,710
29	115	1,298.07	1,347.69	1,397.30	268.60	0.87	880	950	1,050	1,350	1,640	1,690	1,965
30	170	1,510.15	1,591.59	1,673.03	537.89	2.60	900	1,000	1,183	1,508	1,908	3,034	3,280
31	176	1,638.81	1,695.15	1,751.48	378.69	2.13	1,110	1,170	1,310	1,680	2,080	2,180	2,300
32	351	1,835.76	1,872.65	1,909.54	351.37	0.94	1,260	1,360	1,480	1,860	2,250	2,450	2,530
33	451	2,049.03	2,087.78	2,126.54	418.77	1.11	1,400	1,500	1,642	2,080	2,550	2,800	3,020
34	793	2,267.13	2,294.29	2,321.46	389.67	0.31	1,600	1,690	1,820	2,284	2,760	2,909	3,040
35	1,187	2,471.73	2,494.90	2,518.06	406.82	0.42	1,774	1,875	2,020	2,480	2,966	3,187	3,350
36	2,575	2,734.19	2,751.07	2,767.95	436.82	0.31	1,987	2,100	2,250	2,737	3,296	3,493	3,629
37	5,003	2,978.07	2,990.40	3,002.74	445.06	0.16	2,160	2,283	2,455	2,974	3,550	3,750	3,870
38	12,650	3,229.04	3,236.91	3,244.79	451.81	0.18	2,420	2,522	2,690	3,223	3,810	4,000	4,130
39	20,595	3,398.44	3,404.38	3,410.33	435.46	0.18	2,620	2,722	2,870	3,390	3,960	4,149	4,270
40	41,120	3,543.86	3,548.14	3,552.42	442.88	0.20	2,750	2,850	3,002	3,535	4,110	4,300	4,422
41	17,484	3,678.39	3,685.14	3,691.90	455.71	0.16	2,862	2,965	3,120	3,670	4,270	4,450	4,570
42	4,888	3,727.64	3,740.92	3,754.21	473.71	0.12	2,880	2,990	3,160	3,730	4,345	4,520	4,660
43	355	3,761.51	3,811.83	3,862.15	482.10	0.14	2,830	2,950	3,200	3,830	4,350	4,550	4,655
44	27	3,467.68	3,640.96	3,814.24	438.03	0.58	2,736	2,940	3,130	3,640	4,080	4,430	4,870

Smoothed* Percentiles for Vancouver Island Health Authority, 1981-2000



6.1.25. Descriptive Statistics for Northern Health Authority


Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
20	6	167.22	455.67	744.11	274.86	2.12	250	250	250	350	999	999	999
21	15	426.99	508.33	589.68	146.89	1.33	360	360	360	460	728	880	880
22	31	467.78	527.87	587.96	163.83	2.90	360	360	400	480	650	760	1,240
23	40	596.25	625.98	655.70	92.94	0.95	500	505	525	605	785	820	840
24	43	641.00	676.91	712.81	116.67	-0.04	460	495	564	651	815	832	860
25	58	736.12	775.86	815.60	151.13	-0.74	360	420	605	792	940	1,021	1,035
26	70	894.85	964.13	1,033.41	290.57	3.09	625	660	709	945	1,153	1,378	1,675
27	86	1,010.44	1,049.36	1,088.28	181.54	0.26	750	770	830	1,045	1,246	1,360	1,410
28	92	1,163.17	1,254.55	1,345.94	441.27	3.61	760	905	980	1,190	1,450	1,785	3,200
29	70	1,336.85	1,404.64	1,472.44	284.32	0.18	1,000	1,000	1,094	1,373	1,743	1,990	2,000
30	113	1,577.44	1,681.42	1,785.41	557.87	1.99	990	1,068	1,150	1,590	2,263	3,120	3,380
31	130	1,619.73	1,693.45	1,767.16	424.81	1.31	910	1,050	1,130	1,721	2,095	2,140	2,300
32	210	1,830.11	1,882.56	1,935.01	385.54	0.83	1,245	1,310	1,438	1,880	2,323	2,505	2,620
33	264	2,035.92	2,087.36	2,138.80	424.48	1.02	1,390	1,480	1,620	2,040	2,520	2,940	3,170
34	581	2,289.26	2,321.54	2,353.83	396.17	0.47	1,670	1,729	1,860	2,300	2,803	3,015	3,170
35	804	2,492.74	2,524.42	2,556.10	457.65	0.51	1,676	1,820	2,003	2,530	3,043	3,210	3,486
36	1,798	2,768.47	2,788.55	2,808.63	434.08	0.30	1,980	2,110	2,250	2,780	3,330	3,545	3,685
37	3,214	3,014.40	3,030.53	3,046.66	466.43	0.29	2,190	2,310	2,480	3,019	3,610	3,810	3,949
38	8,854	3,265.71	3,275.42	3,285.13	466.17	0.25	2,440	2,550	2,711	3,260	3,864	4,070	4,220
39	12,956	3,432.02	3,439.73	3,447.44	447.66	0.23	2,640	2,735	2,890	3,420	4,017	4,200	4,311
40	29,047	3,576.10	3,581.32	3,586.54	453.88	0.20	2,770	2,875	3,025	3,560	4,165	4,350	4,480
41	11,279	3,702.98	3,711.57	3,720.16	465.41	0.16	2,880	2,989	3,140	3,700	4,310	4,500	4,630
42	3,733	3,727.36	3,742.87	3,758.37	483.19	0.03	2,852	2,965	3,120	3,747	4,370	4,550	4,690
43	290	3,794.28	3,850.60	3,906.92	487.29	0.36	2,891	3,080	3,260	3,840	4,460	4,670	4,725
44	17	3,566.89	3,788.76	4,010.64	431.53	0.69	3,080	3,080	3,280	3,800	4,244	4,880	4,880



6.1.26. Descriptive Statistics for Immigrants of Chinese Origin

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	8	275.53			428.75	581.97	183.28	1.33	200	200	200
21	9	365.74	412.78	459.81	61.19	1.39	330	330	330	400	550	550	550
22	9	452.08	511.67	571.25	77.51	-0.70	380	380	380	520	620	620	620
23	12	581.44	628.33	675.23	73.80	1.46	515	515	580	618	660	820	820
24	18	617.37	729.72	842.08	225.94	0.77	330	330	400	698	1,050	1,310	1,310
25	22	710.40	812.23	914.06	229.67	3.83	625	665	670	775	880	895	1,780
26	27	788.21	876.48	964.75	223.13	0.37	480	480	600	900	1,090	1,235	1,475
27	28	914.72	972.64	1,030.57	149.39	-0.05	630	745	780	979	1,210	1,220	1,280
28	40	1,119.95	1,266.38	1,412.80	457.86	2.55	540	615	785	1,238	1,655	1,880	1,899
29	51	1,294.44	1,413.02	1,531.60	421.62	2.21	840	880	1,040	1,370	1,705	2,040	2,920
30	62	1,461.11	1,619.76	1,778.41	624.73	1.75	800	900	1,020	1,520	2,630	3,020	3,460
31	71	1,688.10	1,808.94	1,929.79	510.54	2.38	1,140	1,190	1,410	1,735	2,100	3,020	3,505
32	132	1,788.97	1,863.10	1,937.23	430.54	1.04	1,060	1,200	1,446	1,812	2,325	2,551	2,722
33	184	2,026.98	2,090.24	2,153.49	434.88	0.56	1,320	1,420	1,580	2,060	2,655	2,860	3,090
34	336	2,275.34	2,319.24	2,363.14	409.07	0.49	1,620	1,700	1,840	2,290	2,800	3,122	3,230
35	517	2,498.03	2,532.99	2,567.95	404.58	0.62	1,846	1,925	2,070	2,505	3,050	3,210	3,420
36	1,295	2,752.85	2,775.91	2,798.97	422.96	-0.07	1,946	2,090	2,280	2,778	3,310	3,459	3,572
37	2,936	2,961.91	2,976.35	2,990.79	399.09	0.23	2,260	2,350	2,500	2,958	3,487	3,660	3,770
38	9,098	3,159.68	3,167.60	3,175.52	385.23	0.32	2,480	2,565	2,700	3,145	3,665	3,830	3,950
39	12,583	3,288.72	3,295.46	3,302.19	385.28	0.34	2,620	2,700	2,830	3,280	3,780	3,941	4,065
40	14,586	3,386.99	3,393.33	3,399.67	390.60	0.31	2,700	2,790	2,920	3,375	3,900	4,070	4,175
41	4,939	3,499.83	3,511.58	3,523.32	421.09	0.27	2,770	2,850	3,000	3,491	4,060	4,240	4,344
42	953	3,551.49	3,579.88	3,608.27	446.55	0.34	2,840	2,948	3,033	3,540	4,180	4,390	4,560
43	79	3,512.11	3,631.39	3,750.67	532.52	0.33	2,820	2,870	2,920	3,560	4,520	4,630	4,700
44	4	2,964.79	3,615.50	4,266.21	408.93	-1.23	3,050	3,050	3,050	3,746	3,920	3,920	3,920


Weight (Grams) Smoothed* Percentiles for Immigrants of Chinese Origin, 1981-2000



6.1.27. Descriptive Statistics for Immigrants of South Asian Origin

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		20	8	256.33			431.88	607.42	209.98	1.27	245	245	245
21	18	385.59	416.78	447.97	62.72	2.19	340	340	347	415	470	625	625
22	18	392.03	456.39	520.75	129.42	-0.96	180	180	245	488	590	620	620
23	14	556.81	583.93	611.05	46.97	0.30	500	500	540	575	640	680	680
24	23	618.99	705.78	792.58	200.71	2.42	310	555	590	670	795	907	1,474
25	25	696.91	759.72	822.53	152.17	-0.30	380	540	550	760	945	1,035	1,038
26	40	778.47	832.13	885.78	167.78	-0.17	500	525	605	865	1,045	1,135	1,170
27	35	910.96	1,004.34	1,097.72	271.83	1.19	700	700	720	1,000	1,250	1,370	1,370
28	50	1,115.37	1,241.16	1,366.95	442.61	2.97	786	840	878	1,183	1,478	1,644	2,720
29	46	1,221.85	1,377.35	1,532.85	523.63	2.00	640	730	850	1,273	1,900	2,100	3,013
30	89	1,492.64	1,623.74	1,754.84	622.34	1.75	745	850	1,090	1,515	2,523	3,150	3,317
31	71	1,548.47	1,655.62	1,762.77	452.71	1.43	1,000	1,000	1,180	1,610	2,145	2,510	2,970
32	133	1,701.37	1,767.58	1,833.78	385.98	0.18	1,025	1,050	1,260	1,781	2,260	2,460	2,610
33	184	1,932.46	2,002.47	2,072.49	481.37	0.68	1,240	1,270	1,375	1,965	2,580	2,830	3,005
34	353	2,229.80	2,278.29	2,326.78	463.20	0.49	1,420	1,520	1,750	2,270	2,830	3,130	3,255
35	473	2,439.96	2,484.46	2,528.97	492.61	0.48	1,616	1,760	1,940	2,438	3,118	3,355	3,515
36	1,329	2,748.17	2,775.13	2,802.08	500.93	0.10	1,885	2,000	2,155	2,765	3,440	3,623	3,760
37	2,323	2,918.94	2,937.80	2,956.66	463.54	0.27	2,070	2,217	2,380	2,920	3,525	3,715	3,875
38	6,336	3,130.13	3,140.71	3,151.30	429.82	0.14	2,340	2,459	2,620	3,130	3,685	3,865	3,980
39	9,571	3,270.60	3,278.98	3,287.37	418.42	0.24	2,539	2,620	2,770	3,260	3,815	3,980	4,105
40	12,584	3,384.12	3,391.54	3,398.95	424.48	0.24	2,639	2,740	2,870	3,375	3,937	4,115	4,240
41	4,598	3,494.16	3,506.87	3,519.59	439.85	0.22	2,715	2,830	2,975	3,500	4,080	4,270	4,380
42	1,002	3,490.00	3,518.48	3,546.96	459.35	0.24	2,685	2,800	2,960	3,510	4,111	4,300	4,422
43	65	3,332.28	3,452.14	3,572.00	483.72	0.80	2,650	2,770	2,890	3,400	4,002	4,082	4,500
44	4	3,425.49	3,474.25	3,523.01	30.64	0.11	3,440	3,440	3,440	3,474	3,510	3,510	3,510


Smoothed* Percentiles for Immigrants of South Asian Origin, 1981-2000



6.1.28. Descriptive Statistics for Immigrants of European Origin

Weeks of Gestation	Number of Cases	Birth Weight (Grams)			Standard Deviation	Skewness	Percentiles (Raw)						
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			3rd	5th	10th	Median	90th	95th	97th
		21	6	317.93			401.67	485.40	79.79	-0.63	275	275	275
22	6	-19.12	995.00	2,009.12	966.35	2.34	400	400	400	688	2,948	2,948	2,948
23	7	393.67	606.14	818.62	229.74	0.93	300	300	300	612	1,040	1,040	1,040
24	6	624.58	661.50	698.42	35.18	0.55	620	620	620	650	709	709	709
25	8	631.01	750.00	868.99	142.33	-0.64	500	500	500	770	910	910	910
26	18	878.56	930.00	981.44	103.44	0.56	760	760	780	925	1,070	1,180	1,180
27	9	844.60	1,002.11	1,159.62	204.91	1.53	745	745	745	1,000	1,470	1,470	1,470
28	19	1,095.58	1,319.21	1,542.84	463.98	2.24	860	860	900	1,200	2,020	2,835	2,835
29	23	1,133.40	1,359.26	1,585.12	522.30	3.16	625	910	1,000	1,300	1,560	1,730	3,485
30	36	1,254.92	1,345.67	1,436.41	268.21	0.07	950	950	995	1,371	1,725	1,843	1,843
31	31	1,533.82	1,788.35	2,042.89	693.94	3.38	975	1,240	1,300	1,661	2,185	2,835	4,950
32	55	1,706.46	1,823.76	1,941.07	433.92	0.73	1,175	1,200	1,340	1,825	2,320	2,540	2,790
33	76	2,006.16	2,091.76	2,177.36	374.60	0.55	1,350	1,390	1,625	2,075	2,495	2,665	2,690
34	127	2,296.94	2,381.71	2,466.48	482.73	1.56	1,531	1,620	1,860	2,340	2,940	3,140	3,520
35	170	2,466.38	2,534.65	2,602.92	450.91	0.59	1,700	1,870	1,990	2,520	3,073	3,317	3,487
36	507	2,834.65	2,877.54	2,920.44	491.66	0.32	2,000	2,052	2,282	2,840	3,550	3,750	3,870
37	847	3,056.11	3,088.05	3,120.00	473.66	0.21	2,245	2,345	2,520	3,060	3,685	3,840	4,000
38	2,211	3,293.44	3,312.37	3,331.30	453.83	0.27	2,475	2,590	2,755	3,290	3,884	4,093	4,224
39	3,711	3,468.29	3,482.49	3,496.69	441.21	0.40	2,722	2,815	2,960	3,450	4,032	4,220	4,376
40	7,008	3,595.61	3,605.98	3,616.35	442.98	0.24	2,835	2,925	3,060	3,592	4,170	4,365	4,495
41	3,045	3,721.21	3,737.44	3,753.67	456.85	0.29	2,930	3,025	3,175	3,722	4,305	4,515	4,652
42	1,054	3,770.48	3,798.80	3,827.12	468.51	0.17	2,977	3,060	3,203	3,799	4,400	4,610	4,720
43	92	3,798.88	3,905.24	4,011.60	513.59	0.07	2,948	3,203	3,374	3,875	4,595	4,763	4,980
44	5	3,689.57	4,099.20	4,508.83	329.90	-0.39	3,685	3,685	3,685	4,196	4,451	4,451	4,451

Smoothed* Percentiles for Immigrants of European Origin, 1981-2000




6.1.29. Descriptive Statistics for Birth Head Circumference, 1995-2000

Weeks of Gestation	Number of Cases	Head Circumference (cm.)			Standard Deviation	Skewness	Percentiles (Raw)				
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			5th	10th	Median	90th	95th
23	26	19.89	20.35	20.80	1.13	-0.58	18	19	21	22	22
24	33	20.67	21.70	22.72	2.89	0.20	18	19	22	23	25
25	27	22.27	22.74	23.21	1.20	-0.77	20	21	23	24	24
26	48	23.89	25.46	27.03	5.41	4.64	22	22	24	28	33
27	59	25.20	25.69	26.19	1.90	1.68	23	24	26	27	28
28	65	26.03	26.63	27.24	2.44	1.82	24	24	26	29	33
29	101	26.99	27.43	27.86	2.20	0.77	25	26	27	29	30
30	143	28.44	28.94	29.45	3.04	-2.46	26	27	29	33	35
31	177	28.38	28.88	29.37	3.32	-3.96	26	27	29	32	33
32	364	30.11	30.31	30.52	1.98	1.08	28	28	30	32	33
33	565	30.95	31.15	31.34	2.31	3.63	29	29	31	33	34
34	1,270	31.78	31.90	32.03	2.30	2.37	29	30	32	34	34
35	2,199	32.46	32.55	32.64	2.10	2.95	30	31	32	34	35
36	5,053	33.07	33.12	33.18	2.11	3.60	31	31	33	35	35
37	10,907	33.64	33.68	33.72	2.16	3.86	31	32	34	35	36
38	29,284	34.16	34.19	34.21	2.12	3.62	32	32	34	36	37
39	44,364	34.44	34.47	34.49	2.87	51.69	32	33	34	36	37
40	72,399	34.73	34.74	34.76	2.11	3.52	32	33	35	36	37
41	33,995	35.13	35.17	35.21	3.85	78.37	33	33	35	37	37
42	3,814	35.28	35.35	35.41	2.03	3.91	33	33	35	37	38
43	261	35.37	35.62	35.87	2.09	4.14	33	34	36	37	38
44	5	33.49	34.60	35.71	0.89	1.26	34	34	34	36	36

Smoothed* Percentiles for Birth Head Circumference, 1995-2000

Circ. (cm.)




6.1.30. Descriptive Statistics for Birth Length, 1995-2000

Weeks of Gestation	Number of Cases	Body Length (cm.)			Standard Deviation	Skewness	Percentiles (Raw)				
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			5th	10th	Median	90th	95th
23	28	27.55	28.75	29.95	3.10	-1.87	22	26	29	32	32
24	35	30.37	31.40	32.43	3.00	1.78	26	29	31	33	35
25	28	32.36	33.14	33.92	2.01	-0.12	29	30	34	36	36
26	49	33.15	34.20	35.26	3.68	-0.19	29	31	34	38	39
27	59	36.19	36.98	37.78	3.04	1.94	33	34	37	39	41
28	65	37.55	38.60	39.65	4.24	0.88	34	34	38	43	48
29	103	38.61	39.37	40.13	3.90	1.38	34	36	39	42	47
30	145	40.73	41.60	42.47	5.28	-1.26	36	38	41	49	52
31	179	40.41	41.33	42.25	6.23	-3.79	36	38	42	46	49
32	372	43.21	43.64	44.06	4.17	-3.81	39	40	44	47	48
33	567	44.64	44.93	45.23	3.54	-3.32	41	42	45	48	49
34	1,280	46.04	46.22	46.41	3.41	-3.08	42	43	46	50	51
35	2,210	47.24	47.38	47.52	3.43	-3.85	43	44	48	51	52
36	5,079	48.41	48.50	48.58	3.21	-2.28	44	45	49	52	53
37	10,989	49.57	49.63	49.69	3.34	-3.51	45	47	50	53	54
38	29,512	50.58	50.62	50.65	3.15	-2.63	47	48	51	54	55
39	44,748	51.26	51.29	51.32	3.22	-3.63	47	48	51	55	56
40	73,036	51.90	51.92	51.94	3.35	-3.59	48	49	52	55	56
41	34,282	52.48	52.51	52.55	3.31	-3.67	49	50	53	56	57
42	3,843	52.70	52.80	52.91	3.27	-3.13	49	50	53	56	57
43	269	52.54	53.09	53.65	4.63	-5.59	49	50	53	57	58
44	5	47.96	51.00	54.04	2.45	0.17	48	48	50	54	54

Smoothed* Percentiles for Birth Length, 1995-2000


Length (cm.)



6.1.31. Descriptive Statistics for Singleton Male Birth Head Circumference, 1995-2000

Weeks of Gestation	Number of Cases	Head Circumference (cm.)			Standard Deviation	Skewness	Percentiles (Raw)				
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			5th	10th	Median	90th	95th
23	9	20.14	20.78	21.42	0.83	0.50	20	20	21	22	22
24	7	21.24	22.00	22.76	0.82	0.00	21	21	22	23	23
25	14	21.80	22.57	23.35	1.34	-0.84	20	20	23	24	24
26	21	22.96	26.43	29.90	7.62	3.62	22	22	25	28	36
27	23	25.19	26.04	26.89	1.97	1.98	24	24	26	28	28
28	33	26.06	27.03	28.00	2.74	1.80	25	25	26	33	34
29	47	26.75	27.43	28.10	2.30	-0.14	23	26	27	29	30
30	69	29.21	29.81	30.42	2.52	1.07	27	27	29	35	35
31	73	28.26	29.18	30.10	3.93	-3.82	26	27	30	32	34
32	158	30.15	30.47	30.79	2.06	0.98	28	29	30	32	34
33	255	31.09	31.39	31.69	2.41	2.76	29	29	31	33	35
34	598	31.97	32.15	32.33	2.24	1.43	30	30	32	34	35
35	1,036	32.63	32.75	32.88	2.04	2.88	30	31	33	35	35
36	2,428	33.30	33.39	33.48	2.32	4.02	31	31	33	35	36
37	5,276	33.89	33.95	34.01	2.16	4.65	31	32	34	36	36
38	14,888	34.43	34.46	34.50	2.18	4.14	32	33	34	36	37
39	22,318	34.71	34.73	34.76	2.09	3.63	32	33	35	36	37
40	36,248	35.04	35.06	35.08	2.12	3.82	33	33	35	37	37
41	17,387	35.43	35.48	35.53	3.14	50.41	33	34	35	37	38
42	1,983	35.62	35.71	35.80	2.11	4.19	33	34	36	37	38
43	130	35.64	36.08	36.52	2.54	4.46	34	34	36	38	38
44	2	22.29	35.00	47.71	1.41	0.00	34	34	35	36	36


Smoothed* Percentiles for Singleton Male Birth Head Circumference, 1995-2000



6.1.32. Descriptive Statistics for Singleton Female Birth Head Circumference, 1995-2000

Weeks of Gestation	Number of Cases	Head Circumference (cm.)			Standard Deviation	Skewness	Percentiles (Raw)				
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			5th	10th	Median	90th	95th
23	13	19.13	19.92	20.72	1.32	-0.09	18	18	20	21	22
24	16	20.75	22.31	23.88	2.94	2.44	18	20	22	24	32
25	11	22.39	23.09	23.79	1.04	-0.86	21	22	23	24	24
26	20	23.69	25.05	26.41	2.91	2.22	23	23	24	30	33
27	17	24.54	25.65	26.75	2.15	2.71	24	24	25	27	33
28	24	25.27	26.21	27.15	2.23	1.68	24	24	26	29	31
29	29	26.42	27.41	28.41	2.61	1.95	25	25	27	34	34
30	51	27.00	28.10	29.20	3.92	-3.46	24	26	28	32	34
31	65	27.64	28.46	29.28	3.32	-4.01	26	27	29	30	33
32	138	29.79	30.07	30.34	1.65	0.51	28	28	30	32	33
33	182	30.80	31.16	31.53	2.53	5.00	29	29	31	33	34
34	417	31.44	31.69	31.93	2.53	3.68	29	30	31	34	34
35	826	32.18	32.32	32.47	2.13	2.75	30	30	32	34	35
36	1,975	32.76	32.85	32.93	1.92	2.67	30	31	33	35	35
37	4,675	33.34	33.40	33.46	2.08	2.44	31	32	33	35	36
38	13,473	33.88	33.91	33.95	2.03	3.03	32	32	34	36	36
39	21,734	34.15	34.20	34.25	3.48	58.40	32	32	34	36	36
40	36,017	34.40	34.42	34.44	2.04	3.41	32	33	34	36	37
41	16,592	34.78	34.84	34.91	4.45	85.43	33	33	35	36	37
42	1,828	34.87	34.95	35.04	1.86	3.76	33	33	35	37	37
43	131	34.92	35.16	35.40	1.37	-1.12	33	33	35	37	37
44	3	32.90	34.33	35.77	0.58	1.73	34	34	34	35	35

Smoothed* Percentiles for Singleton Female Birth Head Circumference, 1995-2000
 Circ. (cm.)




6.1.33. Descriptive Statistics for Singleton Male Birth Length, 1995-2000

Weeks of Gestation	Number of Cases	Body Length (cm.)			Standard Deviation	Skewness	Percentiles (Raw)				
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			5th	10th	Median	90th	95th
23	10	24.50	27.70	30.90	4.47	-1.43	18	20	30	32	32
24	9	30.30	31.78	33.26	1.92	0.13	29	29	32	35	35
25	15	31.60	32.73	33.87	2.05	-0.67	29	29	33	35	36
26	22	32.31	33.77	35.24	3.31	-0.86	29	29	34	37	38
27	23	36.15	37.48	38.81	3.07	2.53	35	35	37	40	41
28	33	38.21	39.45	40.70	3.51	1.48	35	36	39	44	48
29	47	38.21	39.40	40.59	4.05	1.74	33	36	39	42	43
30	70	41.59	42.79	43.98	5.01	0.35	37	39	42	52	53
31	74	41.48	42.85	44.22	5.92	-4.02	38	40	43	49	51
32	163	42.88	43.69	44.50	5.24	-4.23	37	40	45	48	49
33	255	45.00	45.40	45.80	3.25	-1.25	41	42	46	49	50
34	604	46.41	46.66	46.92	3.24	-2.01	42	43	47	50	51
35	1,040	47.65	47.85	48.05	3.26	-3.62	43	45	48	51	52
36	2,442	48.71	48.84	48.97	3.28	-2.27	44	46	49	52	53
37	5,309	50.03	50.12	50.20	3.10	-2.63	46	47	50	53	54
38	15,005	50.94	50.99	51.04	3.14	-2.80	47	48	51	54	55
39	22,515	51.66	51.70	51.74	3.10	-3.25	48	49	52	55	56
40	36,576	52.29	52.32	52.36	3.37	-3.71	48	49	52	56	57
41	17,527	52.92	52.97	53.02	3.27	-3.54	49	50	53	56	57
42	1,998	53.04	53.18	53.33	3.36	-3.71	49	50	53	57	58
43	135	52.62	53.55	54.47	5.43	-5.83	49	51	54	58	59
44	2	32.44	51.50	70.56	2.12	0.00	50	50	52	53	53

Smoothed* Percentiles for Singleton Male Birth Length, 1995-2000

Length (cm.)



6.1.34. Descriptive Statistics for Singleton Female Birth Length, 1995-2000

Weeks of Gestation	Number of Cases	Body Length (cm.)			Standard Deviation	Skewness	Percentiles (Raw)				
		Lower 95% Conf. Limit	Mean	Upper 95% Conf. Limit			5th	10th	Median	90th	95th
23	14	28.10	29.36	30.61	2.17	-0.12	26	26	30	32	33
24	17	30.22	32.00	33.78	3.46	2.68	27	29	32	34	44
25	11	32.15	33.18	34.21	1.54	0.04	31	31	34	34	36
26	20	32.70	34.80	36.90	4.48	-0.13	27	32	34	39	43
27	17	35.89	37.71	39.52	3.53	2.05	33	34	38	41	49
28	24	35.56	37.88	40.19	5.48	0.81	33	33	37	42	50
29	31	38.34	40.00	41.66	4.52	0.90	35	36	40	47	50
30	52	39.20	40.94	42.68	6.25	-2.59	34	37	41	48	50
31	65	38.77	40.26	41.76	6.04	-3.36	33	36	42	44	46
32	141	43.35	43.84	44.32	2.92	0.19	40	40	44	47	48
33	183	44.20	44.84	45.48	4.38	-4.86	41	42	45	48	49
34	420	45.67	46.05	46.43	3.95	-4.35	41	43	46	50	51
35	832	47.01	47.24	47.47	3.40	-3.32	43	44	48	51	52
36	1,985	48.26	48.40	48.54	3.19	-2.74	44	45	48	52	53
37	4,722	49.23	49.33	49.43	3.57	-4.55	45	46	50	53	54
38	13,581	50.25	50.31	50.36	3.12	-2.68	46	47	50	53	54
39	21,921	50.84	50.88	50.93	3.30	-4.10	47	48	51	54	55
40	36,326	51.48	51.52	51.55	3.28	-3.65	48	49	52	55	56
41	16,739	51.98	52.03	52.08	3.29	-4.03	48	49	52	55	56
42	1,842	52.25	52.39	52.54	3.11	-2.57	48	49	52	56	57
43	134	52.02	52.63	53.25	3.61	-4.44	49	50	53	56	57
44	3	43.08	50.67	58.26	3.06	0.94	48	48	50	54	54

Smoothed* Percentiles for Singleton Female Birth Length, 1995-2000

Length (cm.)

