

Robson Groups, British Columbia
April 1, 2010 to March 31, 2011

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,375	43,276	100.0%	30.9%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,349	11,940	27.6%	19.7%	17.6%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,356	5,295	12.2%	44.5%	17.6%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	298	11,477	26.5%	2.6%	2.2%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	402	3,073	7.1%	13.1%	3.0%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	3,842	4,877	11.3%	78.8%	28.7%
6 - Nulliparous women with a single breech pregnancy	954	1,003	2.3%	95.1%	7.1%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	573	659	1.5%	87.0%	4.3%
8 - Women with a multifetal pregnancy, including women with a uterine scar	480	682	1.6%	70.4%	3.6%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	209	259	0.6%	80.7%	1.6%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	824	2,848	6.6%	28.9%	6.2%
99 - Unclassifiable†	1,088	1,163	2.7%	93.6%	8.1%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson Groups, British Columbia
April 1, 2011 to March 31, 2012

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,494	43,535	100.0%	31.0%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,433	11,713	26.9%	20.8%	18.0%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,511	5,387	12.4%	46.6%	18.6%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	276	11,894	27.3%	2.3%	2.1%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	399	3,097	7.1%	12.9%	3.0%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,326	5,362	12.3%	80.7%	32.1%
6 - Nulliparous women with a single breech pregnancy	917	976	2.2%	94.0%	6.8%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	622	708	1.6%	87.9%	4.6%
8 - Women with a multifetal pregnancy, including women with a uterine scar	506	733	1.7%	69.0%	3.8%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	222	274	0.6%	81.0%	1.7%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	888	2,943	6.8%	30.2%	6.6%
99 - Unclassifiable†	394	448	1.0%	88.0%	2.9%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson Groups, British Columbia
April 1, 2012 to March 31, 2013

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,794	43,860	100.0%	31.5%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,508	12,074	27.5%	20.8%	18.2%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,535	5,233	11.9%	48.4%	18.4%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	259	11,757	26.8%	2.2%	1.9%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	419	3,044	6.9%	13.8%	3.0%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,400	5,561	12.7%	79.1%	31.9%
6 - Nulliparous women with a single breech pregnancy	937	999	2.3%	93.8%	6.8%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	601	675	1.5%	89.0%	4.4%
8 - Women with a multifetal pregnancy, including women with a uterine scar	513	714	1.6%	71.9%	3.7%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	229	265	0.6%	86.4%	1.7%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,040	3,156	7.2%	33.0%	7.5%
99 - Unclassifiable†	353	382	0.9%	92.4%	2.6%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson Groups, British Columbia
April 1, 2013 to March 31, 2014

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	13,688	43,156	100.0%	31.7%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,427	11,563	26.8%	21.0%	17.7%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,523	5,287	12.3%	47.7%	18.4%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	330	11,545	26.8%	2.9%	2.4%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	428	3,152	7.3%	13.6%	3.1%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,301	5,397	12.5%	79.7%	31.4%
6 - Nulliparous women with a single breech pregnancy	964	1,021	2.4%	94.4%	7.0%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	583	658	1.5%	88.6%	4.3%
8 - Women with a multifetal pregnancy, including women with a uterine scar	525	735	1.7%	71.4%	3.8%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	229	261	0.6%	87.7%	1.7%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,006	3,122	7.2%	32.2%	7.4%
99 - Unclassifiable†	372	415	1.0%	89.6%	2.7%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

Robson Groups, British Columbia
April 1, 2014 to March 31, 2015

Robson Groups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
TOTAL	14,203	43,805	100.0%	32.4%	100.0%
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,502	11,657	26.6%	21.5%	17.6%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,618	5,487	12.5%	47.7%	18.4%
3 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	324	11,682	26.7%	2.8%	2.3%
4 - Parous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	434	3,009	6.9%	14.4%	3.1%
5 - Parous women with a uterine scar with a single vertex pregnancy at 37+ weeks	4,483	5,618	12.8%	79.8%	31.6%
6 - Nulliparous women with a single breech pregnancy	990	1,036	2.4%	95.6%	7.0%
7 - Parous women with a single breech pregnancy, including women with a uterine scar	622	698	1.6%	89.1%	4.4%
8 - Women with a multifetal pregnancy, including women with a uterine scar	526	751	1.7%	70.0%	3.7%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	204	250	0.6%	81.6%	1.4%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	1,086	3,183	7.3%	34.1%	7.7%
99 - Unclassifiable†	414	434	1.0%	95.4%	2.9%

NOTES:

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.