

## Robson Subgroups, British Columbia

April 1, 2010 to March 31, 2011

Robson Subgroups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,375</b>	<b>43,276</b>	<b>100.0%</b>	<b>30.9%</b>	<b>100.0%</b>
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,349	11,940	27.6%	19.7%	17.6%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,903	4,842	11.2%	39.3%	14.2%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	453	453	1.1%	100.0%	3.4%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	298	11,477	26.5%	2.6%	2.2%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	181	2,852	6.6%	6.4%	1.4%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	221	221	0.5%	100.0%	1.7%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	76	195	0.5%	39.0%	0.6%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	2,951	2,951	6.8%	100.0%	22.1%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	815	1,731	4.0%	47.1%	6.1%
6 - Nulliparous women, single breech pregnancy	954	1,003	2.3%	95.1%	7.1%
7 - Parous women, single breech pregnancy, including women with a uterine scar	573	659	1.5%	87.0%	4.3%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	61	164	0.4%	37.2%	0.5%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	275	275	0.6%	100.0%	2.1%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	144	243	0.6%	59.3%	1.1%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	209	259	0.6%	80.7%	1.6%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	173	810	1.9%	21.4%	1.3%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	368	368	0.9%	100.0%	2.8%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	283	1,670	3.9%	17.0%	2.1%
99 - Unclassifiable†	1,088	1,163	2.7%	93.6%	8.1%

**NOTES:**

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

## Robson Subgroups, British Columbia

April 1, 2011 to March 31, 2012

Robson Subgroups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,494</b>	<b>43,535</b>	<b>100.0%</b>	<b>31.0%</b>	<b>100.0%</b>
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,433	11,713	26.9%	20.8%	18.0%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,995	4,871	11.2%	41.0%	14.8%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	516	516	1.2%	100.0%	3.8%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	276	11,894	27.3%	2.3%	2.1%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	206	2,904	6.7%	7.1%	1.5%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	193	193	0.4%	100.0%	1.4%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	86	201	0.5%	42.8%	0.6%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	3,407	3,407	7.8%	100.0%	25.3%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	833	1,754	4.0%	47.5%	6.2%
6 - Nulliparous women, single breech pregnancy	917	976	2.2%	94.0%	6.8%
7 - Parous women, single breech pregnancy, including women with a uterine scar	622	708	1.6%	87.9%	4.6%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	53	167	0.4%	31.7%	0.4%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	303	303	0.7%	100.0%	2.3%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	150	263	0.6%	57.0%	1.1%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	222	274	0.6%	81.0%	1.7%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	156	805	1.9%	19.4%	1.2%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	422	422	1.0%	100.0%	3.1%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	310	1,716	3.9%	18.1%	2.3%
99 - Unclassifiable†	394	448	1.0%	88.0%	2.9%

**NOTES:**

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

## Robson Subgroups, British Columbia

April 1, 2012 to March 31, 2013

Robson Subgroups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,794</b>	<b>43,860</b>	<b>100.0%</b>	<b>31.5%</b>	<b>100.0%</b>
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,508	12,074	27.5%	20.8%	18.2%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,931	4,629	10.6%	41.7%	14.0%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	604	604	1.4%	100.0%	4.4%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	259	11,757	26.8%	2.2%	1.9%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	192	2,817	6.4%	6.8%	1.4%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	227	227	0.5%	100.0%	1.7%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	94	217	0.5%	43.3%	0.7%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	3,453	3,453	7.9%	100.0%	25.0%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	853	1,891	4.3%	45.1%	6.2%
6 - Nulliparous women, single breech pregnancy	937	999	2.3%	93.8%	6.8%
7 - Parous women, single breech pregnancy, including women with a uterine scar	601	675	1.5%	89.0%	4.4%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	60	151	0.3%	39.7%	0.4%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	315	315	0.7%	100.0%	2.3%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	138	247	0.6%	55.9%	1.0%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	229	265	0.6%	86.4%	1.7%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	182	840	1.9%	21.7%	1.3%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	500	500	1.1%	100.0%	3.6%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	358	1,816	4.1%	19.7%	2.6%
99 - Unclassifiable†	353	383	0.9%	92.2%	2.6%

**NOTES:**

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

## Robson Subgroups, British Columbia

April 1, 2013 to March 31, 2014

Robson Subgroups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>13,688</b>	<b>43,156</b>	<b>100.0%</b>	<b>31.7%</b>	<b>100.0%</b>
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,427	11,563	26.8%	21.0%	17.7%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	1,954	4,718	10.9%	41.4%	14.3%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	569	569	1.3%	100.0%	4.2%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	330	11,545	26.8%	2.9%	2.4%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	198	2,922	6.8%	6.8%	1.5%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	230	230	0.5%	100.0%	1.7%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	84	198	0.5%	42.4%	0.6%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	3,311	3,311	7.7%	100.0%	24.2%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	906	1,888	4.4%	48.0%	6.6%
6 - Nulliparous women, single breech pregnancy	964	1,021	2.4%	94.4%	7.0%
7 - Parous women, single breech pregnancy, including women with a uterine scar	583	658	1.5%	88.6%	4.3%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	58	165	0.4%	35.2%	0.4%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	313	313	0.7%	100.0%	2.3%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	154	257	0.6%	59.9%	1.1%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	229	261	0.6%	87.7%	1.7%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	192	876	2.0%	21.9%	1.4%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	500	501	1.2%	99.8%	3.7%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	314	1,745	4.0%	18.0%	2.3%
99 - Unclassifiable†	372	415	1.0%	89.6%	2.7%

**NOTES:**

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

## Robson Subgroups, British Columbia

April 1, 2014 to March 31, 2015

Robson Subgroups	Number of Cesareans	Number of Deliveries	Relative Size	CD Rate *	Contribution to CD Rate *
<b>TOTAL</b>	<b>14,203</b>	<b>43,805</b>	<b>100.0%</b>	<b>32.4%</b>	<b>100.0%</b>
1 - Nulliparous women, single vertex pregnancy, at 37+ weeks, spontaneous labour	2,502	11,657	26.6%	21.5%	17.6%
2i - Nulliparous women, single vertex pregnancy, at 37+ weeks, induced labour	2,066	4,935	11.3%	41.9%	14.6%
2n - Nulliparous women, single vertex pregnancy, at 37+ weeks, no labour	552	552	1.3%	100.0%	3.9%
3 - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	324	11,682	26.7%	2.8%	2.3%
4i - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, induced labour	235	2,810	6.4%	8.4%	1.7%
4n - Parous women, no uterine scar, single vertex pregnancy at 37+ weeks, no labour	199	199	0.5%	100.0%	1.4%
5i - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, induced labour	105	229	0.5%	45.9%	0.7%
5n - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, no labour	3,465	3,465	7.9%	100.0%	24.4%
5s - Parous women with a uterine scar, single vertex pregnancy at 37+ weeks, spontaneous labour	912	1,923	4.4%	47.4%	6.4%
6 - Nulliparous women, single breech pregnancy	990	1,036	2.4%	95.6%	7.0%
7 - Parous women, single breech pregnancy, including women with a uterine scar	622	698	1.6%	89.1%	4.4%
8i - Women with a multifetal pregnancy, including women with a uterine scar, induced labour	70	188	0.4%	37.2%	0.5%
8n - Women with a multifetal pregnancy, including women with a uterine scar, no labour	327	327	0.8%	100.0%	2.3%
8s - Women with a multifetal pregnancy, including women with a uterine scar, spontaneous labour	129	236	0.5%	54.7%	0.9%
9 - Women with a single pregnancy with transverse or other abnormal presentation, including women with a uterine scar	204	250	0.6%	81.6%	1.4%
10i - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, induced labour	225	921	2.1%	24.4%	1.6%
10n - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, no labour	534	534	1.2%	100.0%	3.8%
10s - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar, spontaneous labour	327	1,728	3.9%	18.9%	2.3%
99 - Unclassifiable†	415	435	1.0%	95.4%	2.9%

**NOTES:**

Data source: BC Perinatal Data Registry. Report prepared 18MAR2016 from data as of 26FEB2016.

\* Cesarean delivery rate

† Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.