

**6.2. Appendix 2 Secular Trends and Mortality Grids****6.2.1. Secular Trends in Selected Variables**

Gestation Period	Indicators		Years					Total
			1981-1984	1985-1988	1989-1992	1993-1996	1997-2000	
20 to 27 Weeks	Live Births	Number	695	761	711	687	654	3,508
		Rate**	4.03	4.47	3.92	3.70	3.84	3.99
	Low Birth Weight	Number	1,108	1,221	1,210	1,128	1,121	5,788
		Rate*	1,594.24	1,604.47	1,701.83	1,641.92	1,714.07	1,649.94
	Neonatal Deaths	Number	382	400	371	323	264	1,740
		Rate*	549.64	525.62	521.80	470.16	403.67	496.01
	Post Neonatal Deaths	Number	20	37	20	18	17	112
		Rate*	28.78	48.62	28.13	26.20	25.99	31.93
	Stillbirth	Number	413	462	503	445	468	2,291
Rate*		372.74	377.76	414.33	393.11	417.11	395.07	
Period Total Births	Number	1,108	1,223	1,214	1,132	1,122	5,799	
28 to 36 Weeks	Live Births	Number	10,785	9,335	10,400	11,040	10,569	52,129
		Rate**	62.55	54.79	57.33	59.38	62.12	59.22
	Low Birth Weight	Number	5,172	5,215	5,616	6,011	5,620	27,634.00
		Rate*	479.55	558.65	540.00	544.47	531.74	530.11
	Neonatal Deaths	Number	219	196	182	138	89	824
		Rate*	20.31	21.00	17.50	12.50	8.42	15.81
	Post Neonatal Deaths	Number	100	103	97	66	46	412
		Rate*	9.27	11.03	9.33	5.98	4.35	7.90
	Stillbirth	Number	401	360	313	296	243	1,613
Rate*		35.85	37.13	29.22	26.11	22.48	30.01	
Period Total Births	Number	11,186	9,695	10,713	11,336	10,812	53,742	
37 to 41 Weeks	Live Births	Number	143,384	148,712	159,942	167,863	156,142	776,043
		Rate**	831.54	872.85	881.67	902.85	917.72	881.58
	Low Birth Weight	Number	3,321	2,788	2,999	3,163	2,573	14,844.00
		Rate*	23.16	18.75	18.75	18.84	16.48	19.13
	Neonatal Deaths	Number	267	176	186	177	114	920
		Rate*	1.86	1.18	1.16	1.05	0.73	1.19
	Post Neonatal Deaths	Number	416	386	311	241	135	1,489
		Rate*	2.90	2.60	1.94	1.44	0.86	1.92
	Stillbirth	Number	385	315	310	269	218	1,497
Rate*		2.68	2.11	1.93	1.60	1.39	1.93	
Period Total Births	Number	143,769	149,027	160,252	168,132	156,360	777,540	
42 to 44 Weeks	Live Births	Number	17,568	11,568	10,355	6,336	2,776	48,603
		Rate**	101.88	67.90	57.08	34.08	16.32	55.21
	Low Birth Weight	Number	93	51	23	19	7	193
		Rate*	5.29	4.41	2.22	3.00	2.52	3.97
	Neonatal Deaths	Number	39	21	12	9	1	82
		Rate*	2.22	1.82	1.16	1.42	0.36	1.69
	Post Neonatal Deaths	Number	37	30	22	2	3	94
		Rate*	2.11	2.59	2.12	0.32	1.08	1.93
	Stillbirth	Number	46	21	20	15	3	105
Rate*		2.61	1.81	1.93	2.36	1.08	2.16	
Period Total Births	Number	17,614	11,589	10,375	6,351	2,779	48,708	

\*Rates: mortality, low birth weight, & very low birth weight rates are per 1,000 live births in each gestation period. Stillbirth rates are per 1,000 total births in each gestation period.

\*\* Live birth rates are per 1,000 live births at all gestations during the four-year periods.

### 6.2.2. Birth Weight And Gestational Age Percent Neonatal Mortality, for the Full Population, 1981-2000

BIRTH WEIGHT	WEEKS OF GESTATION																												
	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43						
6000-6499																													
5750-5999																													
5500-5749																			1.75		0.15								
5250-5499																		1.75	1.05	0.19	0.67	0.78							
5000-5249																	1.75	1.48	0.36	0.09	0.42	0.68	0.16						
4750-4999																	0.83	1.02	0.11	0.07	0.09	0.18	0.00						
4500-4749															5.57	0.21	0.96	0.46	0.09	0.06	0.06	0.05	0.00						
4250-4499															5.36	1.38	0.52	0.33	0.10	0.06	0.09	0.04	0.02						
4000-4249															4.63	3.80	1.29	0.44	0.21	0.06	0.07	0.05	0.06	0.04					
3750-3999															2.78	1.67	1.21	0.40	0.37	0.13	0.06	0.06	0.07	0.09	0.07				
3500-3749															4.14	0.53	0.31	0.31	0.45	0.20	0.10	0.08	0.07	0.08	0.13	0.15			
3250-3499															0.80	3.93	2.31	1.21	0.63	0.37	0.18	0.12	0.08	0.09	0.10	0.18	0.27		
3000-3249															1.75	5.47	5.34	4.72	1.70	0.86	0.39	0.25	0.14	0.10	0.10	0.11	0.28	0.37	
2750-2999															4.05	5.67	7.05	3.15	1.18	0.57	0.37	0.22	0.16	0.13	0.15	0.31	0.44	0.35	
2500-2749															9.70	5.86	4.73	2.38	1.09	0.43	0.32	0.34	0.26	0.28	0.40	0.75	0.49	0.41	
2250-2499															11.43	10.19	9.49	3.68	1.59	0.75	0.65	0.67	0.59	0.66	0.80	0.85	1.22	4.23	5.07
2000-2249															17.21	15.92	3.80	2.94	1.47	1.13	0.91	1.32	1.40	1.77	2.57	1.42	6.08	9.23	
1750-1999															33.30	18.68	2.78	3.42	2.40	1.95	1.72	2.53	2.78	3.19	4.10	5.60	5.58		
1500-1749															23.13	16.54	6.44	3.56	3.40	3.14	3.55	4.13	4.82	6.63	7.60	5.22	8.37	6.95	
1250-1499															21.80	15.30	10.56	6.67	4.67	6.11	5.63	6.58	6.10	10.68	8.63				
1000-1249															29.47	20.26	15.78	11.31	8.20	9.87	9.02	11.59	12.31	11.04	11.93				
750-999															78.30	56.26	35.82	27.80	19.06	15.54	12.08	11.28	13.15	15.25	19.27				
500-749															91.47	91.12	84.76	65.64	52.54	45.30	35.34	33.67							
Weeks	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43						

### 6.2.3. Birth Weight And Gestational Age Percent Neonatal Mortality, for Males, 1981-2000

Birth Weight	Weeks of Gestation																					
	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
6000-6499																						
5750-5999																						
5500-5749																		3.03				
5250-5499																	1.818	5.67	0.21	0.85		
5000-5249																3.03	0.512	2.38	0.12	0.23	0.408	
4750-4999																		0.626	0.020	0.090	0.12	0.11
4500-4749															2.78	0.114	0.234	0.186	0.054	0.074	0.056	0.02
4250-4499														2.78	3.324	0.176	0.232	0.23	0.048	0.082	0.064	0.04
4000-4249													2.78	5.54	3.252	0.284	0.26	0.124	0.054	0.092	0.058	0.05
3750-3999														1.21	1.812	0.364	0.172	0.094	0.064	0.088	0.106	0.13
3500-3749													1.33	1.11	0.77	0.294	0.364	0.158	0.108	0.086	0.11	0.096
3250-3499												2.22	4.26	1.31	0.65	0.44	0.272	0.158	0.106	0.092	0.14	0.192
3000-3249												13.2	4.69	1.71	0.77	0.65	0.28	0.18	0.14	0.12	0.15	0.46
2750-2999												10.2	4.34	0.78	0.76	0.49	0.35	0.24	0.18	0.19	0.29	0.30
2500-2749												5.76	3.67	0.99	0.53	0.43	0.35	0.37	0.38	0.45	0.74	0.90
2250-2499																						
2000-2249																						
1750-1999																						
1500-1749																						
1250-1499																						
1000-1249																						
750-999																						
500-749																						
Weeks	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43

Neonatal Mortality Group		
Very Low	< 0.10%	
Moderately low	0.10 - 0.49%	
Low	0.50 - 1.99%	
High	2.00 - 9.99%	
Very High	10.00 - 44.99%	
Extremely High	> 45.00%	


### 6.2.4. Birth Weight And Gestational Age Percent Neonatal Mortality, for Females, 1981-2000

Birth Weight	Weeks of Gestation																					
	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
6000-6499																						
5750-5999																						
5500-5749																		0.00	0.00			
5250-5499																		0.00	0.00	0.00		
5000-5249																	1.75	0.00	0.00	0.33	0.33	
4750-4999																1.75	1.37	0.32	0.00	0.02	0.33	0.00
4500-4749															1.75	1.89	1.01	0.00	0.03	0.02	0.05	0.00
4250-4499														8.33	0.51	1.09	0.34	0.12	0.02	0.08	0.04	0.03
4000-4249													8.33	5.28	0.57	0.75	0.31	0.07	0.06	0.03	0.06	0.00
3750-3999												8.33	5.00	0.40	0.48	0.37	0.10	0.06	0.05	0.06	0.04	0.07
3500-3749												0.74	0.34	0.58	0.19	0.09	0.07	0.06	0.05	0.13	0.13	
3250-3499											3.33	3.34	2.67	0.74	0.90	0.27	0.21	0.12	0.07	0.07	0.08	0.16
3000-3249											5.34	6.74	6.73	3.52	0.59	0.32	0.24	0.11	0.09	0.09	0.07	0.30
2750-2999											3.68	5.99	5.33	1.79	0.76	0.33	0.17	0.12	0.10	0.12	0.29	0.53
2500-2749											0.59	2.54	2.34	1.20	0.35	0.25	0.29	0.19	0.20	0.37	0.61	0.98
2250-2499											7.29	1.54	1.42	0.70	0.55	0.58	0.40	0.49	0.63	0.67	0.96	3.13
2000-2249											2.78	2.02	2.28	1.24	0.92	0.79	1.07	1.23	1.86	2.86	1.43	5.18
1750-1999											6.71	3.05	2.75	2.14	1.55	1.13	2.28	2.99	3.43	4.84	4.04	6.38
1500-1749											29.2	21.4	7.17	3.93	3.58	2.73	2.66	3.44	4.87	8.55	9.61	3.24
1250-1499											19.2	15.1	10.6	6.27	4.14	5.25	5.19	6.49	5.84	9.24	12.5	10.6
1000-1249											24.9	16.0	13.2	8.83	6.62	8.30	8.04	12.5	12.1	11.8		
750-999											49.4	31.2	22.7	16.3	10.4	8.91	9.68	17.0	16.5	20.6		
500-749											94.9	83.5	63.0	50.0	45.9	31.6	28.8					
Weeks	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43

Neonatal Mortality Group		
Very Low	< 0.10%	
Moderately low	0.10 - 0.49%	
Low	0.50 - 1.99%	
High	2.00 - 9.99%	
Very High	10.00 - 44.99%	
Extremely High	> 45.00%	


### 6.2.5. Mortality Grid for the Full Population

Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	1,273	67.95	644.53
Very High	2,896	17.23	1,048.21
High	11,381	3.73	1,806.46
Moderately High	34,686	0.80	2,441.51
Low	182,160	0.19	3,015.04
Very Low	360,461	0.08	3,637.99
All Cases in Group	592,857		3,322.34




### 6.2.6. Mortality Grid for Males

Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	673	71.32	650.42
Very High	1,594	20.08	1,067.50
High	5,889	3.96	1,822.75
Moderately High	16,614	0.94	2,485.48
Low	83,356	0.24	3,052.21
Very Low	195,239	0.09	3,677.92
All Cases in Group	303,365		3,384.25




### 6.2.7. Mortality Grid for Females

Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	600	64.17	637.92
Very High	1,302	13.75	1,024.59
High	5,490	3.44	1,789.04
Moderately High	18,071	0.66	2,401.09
Low	98,802	0.14	2,983.68
Very Low	165,220	0.07	3,590.79
All Cases in Group	289,485		3,257.48



### 6.2.8. Mortality Grid for First Nations Births


Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	94	72.34	660.01
Very High	310	19.35	1,157.68
High	1,019	4.12	1,914.39
Moderately High	2,621	0.69	2,512.93
Low	11,173	0.20	3,059.77
Very Low	22,360	0.09	3,660.75
All Cases in Group	37,577		3,326.48






### 6.2.9. Mortality Grid Averages for Chinese Immigrants

Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	27	59.26	669.15
Very High	55	10.91	1,030.51
High	281	2.85	1,822.77
Moderately High	1,093	0.55	2,375.47
Low	6,996	0.04	2,916.36
Very Low	11,489	0.03	3,456.26
All Cases in Group	19,941		3,174.12




### 6.2.10. Mortality Grid Averages for South Asian Immigrants

Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	65	53.85	636.35
Very High	137	12.41	1,051.23
High	661	2.12	1,776.09
Moderately High	2,186	0.50	2,389.23
Low	10,916	0.08	2,934.91
Very Low	14,826	0.07	3,496.96
All Cases in Group	28,791		3,142.15



### 6.2.11. Mortality Grid Averages for Income Quintile 1


Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	232	65.09	633.89
Very High	598	16.22	1,058.63
High	2,265	3.22	1,802.36
Moderately High	6,881	0.55	2,422.10
Low	34,084	0.20	2,987.03
Very Low	64,185	0.08	3,613.13
All Cases in Group	108,245		3,281.88



Note: Quintiles 1 to 5 lowest to highest

### 6.2.12. Mortality Grid Averages for Income Quintile 2


Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	228	63.16	645.01
Very High	477	14.47	1,035.31
High	1,873	2.83	1,799.36
Moderately High	5,948	0.67	2,419.67
Low	30,713	0.17	2,989.12
Very Low	61,162	0.07	3,621.05
All Cases in Group	100,401		3,303.54



Note: Quintiles 1 to 5 lowest to highest

### 6.2.13. Mortality Grid Averages for Income Quintile 3


Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	198	63.13	643.17
Very High	443	15.35	1,052.23
High	1,756	3.47	1,789.85
Moderately High	5,405	0.83	2,431.77
Low	27,788	0.12	3,004.88
Very Low	59,678	0.07	3,634.60
All Cases in Group	95,268		3,330.45



Note: Quintiles 1 to 5 lowest to highest

### 6.2.14. Mortality Grid Averages for Income Quintile 4


Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	161	67.70	647.07
Very High	384	16.15	1,061.51
High	1,601	4.06	1,774.84
Moderately High	4,794	0.71	2,436.40
Low	25,145	0.17	3,011.91
Very Low	55,631	0.06	3,646.88
All Cases in Group	87,716		3,347.71



Note: Quintiles 1 to 5 lowest to highest

### 6.2.15. Mortality Grid Averages for Income Quintile 5

Neonatal Mortality Group	Number of Births	Percent Neonatal Mortality	Average Birth Weight
Extremely High	139	72.66	639.72
Very High	354	16.10	1,060.57
High	1,258	2.78	1,783.17
Moderately High	4,028	0.79	2,433.11
Low	21,130	0.15	3,011.87
Very Low	49,290	0.07	3,652.37
All Cases in Group	76,199		3,361.91



Note: Quintiles 1 to 5 lowest to highest

### 6.3. Outcome Measures

#### 6.3.1. Outcome Measures for Income Quintiles 1 to 5 (Lowest to Highest)

Quintile	Quintile 1*		Quintile 2*		Quintile 3*		Quintile 4*		Quintile 5*	
Outcome	Number	Rate**	Number	Rate**	Number	Rate**	Number	Rate**	Number	Rate**
Mortality: Infant	1,000	7.75	747	5.56	775	5.47	711	5.30	594	5.19
Neonatal	636	4.05	550	3.74	502	3.54	479	3.64	371	3.24
Post Neonatal	424	2.70	297	2.02	273	1.93	232	1.76	223	1.95
Low Birth Weight	8,887	56.59	7,587	51.58	6,925	48.9	6,131	46.61	5,083	44.42
Very Low Birth Wt.	1,426	9.08	1,248	8.49	1,151	8.13	1,016	7.72	867	7.58
SGA	17,194	109.48	15,370	104.5	13,594	95.98	11,836	89.98	9,550	83.45
Pre-term	10,776	68.61	9,133	62.1	8,477	59.85	7,904	60.09	6,625	57.89
Stillbirths	964	6.10	865	5.47	826	5.23	717	4.54	633	4.01

Note: Quintiles 1 lowest to 5 highest

Rates\*\* Rates: Stillbirths per 1000 total births, all other indicators per 1000 live births in each quintile

#### 6.3.2. Outcome Measures for Selected Percentile Groupings

Percentile Range	Under 10th to 5th		Under 5th to 3rd		Under 3rd	
	Number	Rate*	Number	Rate*	Number	Rate*
Live Births	44,557		19,400		25,466	
Stillbirth	419	9.32	394	19.91	1,267	47.40
Infant Deaths	411	9.22	243	12.57	575	22.58
Neonatal Deaths	252	5.66	151	7.81	381	14.96
Post Neonatal Deaths	159	3.57	92	4.76	194	7.62
Perinatal Deaths	630	14.01	521	26.32	1,586	59.33
Pre-term	2,219	49.80	1,788	92.49	1,632	64.09
Congenital Anomalies	890	19.97	462	23.90	1,114	43.75

\*Rates: Stillbirths per 1000 total births, all other indicators per 1000 live births in percentile group



### 6.3.3. Demographic Group Outcome Frequencies

Demographic Group		Live Birth	Stillbirth	Infant Death	Neonatal Death	Post Neonatal Death	Congenital Anomaly	Low Birth Weight	Pre-term
All BC		880,283	5,506	5,698	3,565	2,107	10,887	44,407	55,637
Gender	Males	452,107	2,860	3,303	2,030	1,260	6,350	21,397	30,440
	Females	428,166	2,538	2,391	1,531	847	4,534	23,006	25,195
First Nations		56,955	431	738	301	433	787	3,380	5,479
Kind of Birth	Singleton Births	861,803	5,085	5,050	3,037	1,987	10,750	35,640	47,224
	Multiple Births	18,470	420	648	528	120	136	8,758	8,404
Parity	Primiparous	386,290	2,729	2,262	1,508	741	4,996	20,309	24,712
	Multiparous	492,470	2,764	3,423	2,049	1,361	5,872	23,995	30,797
Neighbourhood Income	Quintile 1 (low)	157,058	964	1,066	636	424	1,851	8,887	10,776
	Quintile 2	147,084	865	853	550	297	1,685	7,587	9,133
	Quintile 3	141,631	826	779	502	273	1,654	6,925	8,477
	Quintile 4	131,548	717	713	479	232	1,548	6,131	7,904
	Quintile 5 (high)	114,440	633	597	371	223	1,353	5,083	6,625
Secular Periods	1981-1984	172,432	1,245	1,484	907	573	2,556	8,820	11,480
	1985-1988	170,376	1,158	1,357	793	556	2,666	8,409	10,096
	1989-1992	181,408	1,146	1,207	751	450	2,392	9,006	11,111
	1993-1996	185,926	1,025	977	647	327	1,927	9,567	11,727
	1998-2000	170,141	932	674	468	201	1,346	8,605	11,223
Health Authority	Interior	108,388	881	656	395	256	1,411	5,358	6,266
	Fraser	247,620	1,765	1,278	829	444	2,904	12,424	15,231
	Van. Coastal	163,146	929	964	664	294	1,630	8,438	10,707
	Van. Island	109,700	832	722	402	316	1,362	5,392	7,034
	Northern	73,801	706	547	331	214	970	3,527	4,411
Parental Birthplace Location	Chinese	40,530	126	131	92	39	265	1,885	2,271
	South Asian	39,271	172	184	138	45	365	2,794	2,894
	European	19,078	82	79	58	20	219	789	1,104

Note: Cases with missing/unknown values are excluded from demographic and outcome frequencies


### 6.3.4. Demographic Group Outcome Rates

Demographic Group		Live Birth	Stillbirth	Infant Death	Neonatal Death	Post Neonatal Death	Congenital Anomaly	Low Birth Weight	Pre-term
All BC		880,283	6.22	6.47	4.05	2.39	12.37	50.45	63.20
Gender	Males	452,107	6.29	7.31	4.49	2.79	14.05	47.33	67.33
	Females	428,166	5.89	5.58	3.58	1.98	10.59	53.73	58.84
First Nations		56,955	7.51	12.96	5.28	7.60	13.82	59.35	96.20
Kind of Birth	Singleton Births	861,803	5.87	5.86	3.52	2.31	12.47	41.36	54.80
	Multiple Births	18,470	22.23	35.08	28.59	6.50	7.36	474.17	455.01
Parity	Primiparous	386,290	7.02	5.86	3.90	1.92	12.93	52.57	63.97
	Multiparous	492,470	5.58	6.95	4.16	2.76	11.92	48.72	62.54
Neighbourhood Income	Quintile 1 (low)	157,058	6.10	6.79	4.05	2.70	11.79	56.58	68.61
	Quintile 2	147,084	5.85	5.80	3.74	2.02	11.46	51.58	62.09
	Quintile 3	141,631	5.80	5.50	3.54	1.93	11.68	48.89	59.85
	Quintile 4	131,548	5.42	5.42	3.64	1.76	11.77	46.61	60.08
	Quintile 5 (high)	114,440	5.50	5.22	3.24	1.95	11.82	44.42	57.89
Secular Periods	1981-1984	172,432	7.17	8.61	5.26	3.32	14.82	51.15	66.58
	1985-1988	170,376	6.75	7.96	4.65	3.26	15.65	49.36	59.26
	1989-1992	181,408	6.28	6.65	4.14	2.48	13.19	49.64	61.25
	1993-1996	185,926	5.48	5.25	3.48	1.76	10.36	51.46	63.07
	1998-2000	170,141	5.45	3.96	2.75	1.18	7.91	50.58	65.96
Health Authority	Interior	108,388	8.06	6.05	3.64	2.36	13.02	49.43	57.81
	Fraser	247,620	7.08	5.16	3.35	1.79	11.73	50.17	61.51
	Van. Coastal	163,146	5.66	5.91	4.07	1.80	9.99	51.72	65.63
	Van. Island	109,700	7.53	6.58	3.66	2.88	12.42	49.15	64.12
	Northern	73,801	9.48	7.41	4.49	2.90	13.14	47.79	59.77
Parental Birthplace Location	Chinese	40,530	3.10	3.23	2.27	0.96	6.54	46.51	56.03
	South Asian	39,271	4.36	4.69	3.51	1.15	9.29	71.15	73.69
	European	19,078	4.28	4.14	3.04	1.05	11.48	41.36	57.87



Note: rates per 1,000 live births (stillbirths per 1,000 total births) are based on frequencies in Table 6.3.3

### 6.4. British Columbia Health Governance Areas

#### 6.4.1. Local Health Area Map



### 6.4.2. Health Authority and Health Service Delivery Area Map



<b>Health Authority</b>	<b>Health Service Delivery Area</b>
01 Interior	11 East Kootenay
	12 Kootenay Boundary
	13 Okanagan
02 Fraser	14 Thompson Cariboo
	21 Fraser Valley
	22 Simon Fraser
	23 South Fraser
03 Vancouver Coastal	31 Richmond
	32 Vancouver
	33 North Shore/Coast Garibaldi
04 Vancouver Island	41 South Vancouver Island
	42 Central Vancouver Island
	43 North Vancouver Island
05 Northern	51 Northwest
	52 Northern Interior
	53 Northeast
06 Provincial Health Services Authority	

## 7. REFERENCES

1. Lubchenco, L.O.; Hansman, M.D.; and Boyd, E. Intrauterine growth as estimated from liveborn birth-weight data at 24 to 42 weeks of gestation. *Pediatrics*, 32(1), 1963.
2. Foster, L.T.; Danderfer, R.J. (Eds), *Vital Statistics of the Province of British Columbia, Division of Vital Statistics, Annual Report, 1989*. Victoria, B.C.: British Columbia Vital Statistics Agency.
3. Kierans, W.J.; Collison, M.A.; Foster, L.T. and Uh, S-H. *Charting Birth Outcome in British Columbia: Determinants of Optimal Health and Ultimate Risk*. Victoria, B.C.: British Columbia Vital Statistics Agency, 1993.
4. Kramer, M.; Platt, R.; Shi W.; et al. A new and improved population-based reference for birth weight for gestational age. *Pediatrics*, 108 (2), Aug. 2002.
5. Arbuckle, T.; Wilkins, R.; and Sherman, G. Birth weight percentiles by gestational age in Canada. *Jour. of Obstetrics and Gynecology*, 81, 39-48, 1993
6. Battaglia, F. and Lubchenco, L. A practical classification of newborn infants by weight and gestational age. *Pediatrics*, 71(1), 1967.
7. Cockington, A. Feeding premature infants. Use of intrauterine growth charts to calculate volumes. *Medical Journal of Australia*. 1(5), 1982.
8. Wilkins, R. *PCCF+ Version 3J User's Guide: Automated Geographic Coding Based on the Statistics Canada Postal Code Conversion Files, Including Postal Codes to May 2002*. Catalogue no. 82F0086-XDB. Ottawa: Health Analysis and Measurement Group, Statistics Canada, 2002 July, 61pp.
9. Wilkins, R.; Berthelot, J-M. and Ng, E. Trends in mortality by neighbourhood income in urban Canada from 1971 to 1996. *Supplement to Health Reports*, 13 (Supplement), 45-71, 1, 2002.
10. British Columbia Vital Statistics Agency. *Regional Analysis of Status Indians in British Columbia 1991-1999: Birth Related and Mortality Summaries, British Columbia and Health Regions*. Victoria: British Columbia Vital Statistics Agency, 2001.
11. Carr-Hill, R. and Pritchard, C. *The Development and Exploitation of Empirical Birthweight Standards*. London: Macmillan Press, 1985.
12. Kierans, W. and Hu, W. *A community Health Mosaic: Immigrant of Chinese Origin*. Victoria, British Columbia: British Columbia Vital Statistics Agency (internal document), 1996.
13. Kierans, W. and Hu, W. *A community Health Mosaic: Immigrant of South Asian Origin*. Victoria, British Columbia: British Columbia Vital Statistics Agency (internal document), 1996.
14. Danderfer, R.J. *Selected Vital Statistics and Health Status Indicators: One Hundred Twenty-ninth Annual Report 2000*. Division of Vital Statistics. Victoria, British Columbia: British Columbia Vital Statistics Agency, 2001A
15. Joseph, K.; Wilkins, R.; Dodds, L.; et al. Gestational age specific fetal growth-restrictions and perinatal mortality differences among males and females. (Publication in progress.)

16. Robertson, C.M.; Svenson, L.W. and Kyle, J.M. Birth weight by gestational age for Albertan liveborn infants. *Jour. of Obstet. and Gynaecol. Can.* 24(2), 138-148, Feb. 2002.
17. Kramer, M.; McLean, F.; Boyd, M.; et al. The validity of gestational age estimation by by menstrual dating in term, preterm, postterm gestations. *Jour. of the Amer. Med. Assoc.* 260, 3306-308, 1988
18. Arbuckle, T. and Sherman, G. An analysis of birth weight by gestational age in Canada. *Can. Med. Assoc. Jour.* 1989, Jan. 15, 140(2), 157-160.
19. World Health Organisation, WHO Expert Committee on Physical Status. *Physical Status: The Use and Interpretation of Anthropometry.* Geneva: World Health Organization Technical Report Series, 1995.
20. Kitchen, W.; Robinson, H. and Dickinson, A. Revised intrauterine growth curves for an Australian hospital population. *Aust. Pediatr. Jour.* 19, 1983
21. Kean, D. and Pearse, R. Birthweight between 14 and 42 weeks' gestation. *Arch. Disease Child.* 60, 1985.
22. Blinder, I.; McClemon, S.; et al. Size at birth for an urban Canadian population. *Can Med. Assoc. Jour.* 130, 1984.
23. Dawson, I. and Jonas, E. Birth weight and gestational age and its effect on perinatal mortality in white and Punjabi births: experience at a district hospital in West London 1967-1975. *Brit. Jour of Obstet. and Gynacol.* 89, 1982.
24. Barron, S. Birthweight and ethnicity. *Brit. Jour of Obstet. and Gynacol.* 90, 1983.
25. Mathai, M.; Thomas, S.; Peedicayil, A.; et al. Growth pattern of the Indian fetus. *Internat. Jour. of Gynacol. and Obstet.*;48, 21-24, 1995.
26. Lei, H. and Wen, S. Ultrasonic examination of intrauterine growth for multiple fetal dimensions in a Chinese population. *Am. Jour. of Obstet. and Gynacol.* 178, 916-21, 1998.
27. Kierans, W.; Joseph, K.; Luo, Z; et al. The case for ethnic-specific standards of fetal growth. In preparation.
28. Lubchenco, L.; Searls, D.; and Braxie, J. Nonatal mortality rate: Relationship to birth weight and gestational age. *Jour. Pediatrics.* 81(4), 1972.
29. Koops, B.; Morgan, L.; and Battaglia, F. Neonatal mortality in relation to birth weight and gestational age: update. *Jour. Pediatrics.* 101(6), 1982.
30. Wen, S.; Kramer, M.; Liu, S.; et al. Infant mortality by gestational age and birth weight in Canadian provinces and territories, 1990-1994 births. *Chron. Dis. in Canada*, 21(1), 14-22, 2000.
31. Wen, S. and Kramer, M. A comparison of perinatal mortality between ethnic Chinese and ethnic whites: why the Chinese rate was lower. *Ethnic Health.* 2(3), 177-182, 1997.
32. Yu, E. The low mortality rates of Chinese infants: some plausible explanatory factors. *Social Science in Medicine*, 16, 253-65, 1982.
33. Foster, L.; Shinto, M. and Wei, W. The use of vital statistics data by a social policy ministry. *Vital News* 5(4), 3-4, Ottawa: Vital Statistics Council of Canada,

- October, 2001. And personal explanatory communications, July, 2002 and June, 2003.
34. United Nations Children's Fund (UNICEF) *The State of the World's Children 1995*. Oxford, UK: Oxford University Press, 1995.
  35. Usher, R. & McLean, F. Intrauterine growth of liveborn Caucasian infants at sea level: standards obtained from measurements in 7 dimensions of infants born between 25 and 44 weeks of gestation. *Pediatrics*, 74(60), 1969.
  36. Moore, W.; Bannister, B.; Ward, V.; et al. Fetal and post natal growth to age 2 years by mother's country of birth. *Early Hum. Devel.* 42, 111-121, 1995.